

Revision date: 14-Jan-2014 Version: 3.0 Page 1 of 10

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE **COMPANY/UNDERTAKING**

Product Identifier

Material Name: Bovine Rota-Coronavirus Vaccine, Killed Virus, Clostridium Perfringens Type C-

Escherichia Coli Bacterin-Toxoid

ScourGuard 4KC **Trade Name:**

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Veterinary Vaccine Intended Use:

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA)

Rocky Mountain Poison Control Center Phone: 1-866-531-8896

Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem

Belgium

Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: VMIPSrecords@zoetis.com **Emergency telephone number:**

International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Liquid solution in multiple-dose vials

Classification of the Substance or Mixture

GHS - Classification Not classified as hazardous

EU Classification:

EU Indication of danger: Not classified

Label Elements

Not Classified Signal Word:

Hazard Statements: Not classified in accordance with international standards for workplace safety.

Other Hazards

May cause eye, skin and respiratory tract irritation In the event of accidental injection, an **Short Term:**

allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy instituted. Saponins have little toxicity

for humans when ingested but have hemolytic effects when injected intravenously.

Australian Hazard Classification

(NOHSC):

Non-Hazardous Substance. Non-Dangerous Goods.

This document has been prepared in accordance with standards for workplace safety, which Note:

require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

Page 2 of 10

Material Name: Bovine Rota-Coronavirus Vaccine, Killed Virus, Clostridium Perfringens Type C-Escherichia Coli

Bacterin-Toxoid

Revision date: 14-Jan-2014 Version: 3.0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Quil-A saponin	66594-14-7	Not Listed	Not Listed	Not Listed	*
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 2 (H351) Acute Tox. 3 (H331)	<0.1
Merthiolate (as mercury)	54-64-8	200-210-4	T+; R26/27/28 R33 N; R50/53	Acute Tox. 2 (H330) Acute Tox. 2 (H310) Acute Tox. 1 (H300) STOT RE 2 (H373) Aq. Acute 1 (H400) Aq. Chronic 1 (H410)	##
Gentamicin	1403-66-3	215-765-8	Not Listed	Not Listed	##

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Bovine coronavirus	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Bovine rotavirus	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium perfringens type C	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*

Additional Information: * Proprietary ## Trace

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Material Name: Bovine Rota-Coronavirus Vaccine, Killed Page 3 of 10

Virus, Clostridium Perfringens Type C-Escherichia Coli

Bacterin-Toxoid

Revision date: 14-Jan-2014 Version: 3.0

Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not Ingestion:

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Remove to fresh air and keep patient at rest. Seek medical attention immediately. Inhalation:

Most Important Symptoms and Effects, Both Acute and Delayed

For information on potential signs and symptoms of exposure, See Section 2 - Hazards Symptoms and Effects of

Exposure: Identification and/or Section 11 - Toxicological Information.

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion

Formation of toxic gases is possible during heating or fire.

Fire / Explosion Hazards:

Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

Products:

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus. Dike and collect water used to fight fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill

Collecting: area thoroughly.

Additional Consideration for

Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency

situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Keep away from heat, sparks, and flame. Use with adequate ventilation. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Prevent environmental releases. Use appropriate personal protective equipment. Avoid accidental injection.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store as directed by product packaging.

Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy

Material Name: Bovine Rota-Coronavirus Vaccine, Killed Page 4 of 10

Virus, Clostridium Perfringens Type C-Escherichia Coli

Bacterin-Toxoid

Revision date: 14-Jan-2014 Version: 3.0

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Formaldehyde

ACGIH Ceiling Threshold Limit: 0.3 ppm **ACGIH - Sensitizer Designation** Sensitizer **Australia STEL** 2 ppm 2.5 mg/m³ **Australia TWA** 1 ppm 1.2 mg/m³ 0.5 ppm **Austria OEL - MAKs** 0.6 mg/m^{3} **Bulgaria OEL - TWA** 1.0 mg/m³ Czech Republic OEL - TWA 0.5 mg/m³ **Estonia OEL - TWA** 0.5 ppm 0.6 mg/m^{3} **Finland OEL - TWA** 0.3 ppm 0.37 mg/m³ France OEL - TWA 0.5 ppm Germany (DFG) - MAK 0.3 ppm 0.37 mg/m³ no irritation should occur during mixed exposure **Greece OEL - TWA** 2 ppm 2.5 mg/m³ **Hungary OEL - TWA** 0.6 mg/m^{3} **Ireland OEL - TWAs** 2 ppm 2.5 mg/m³ Japan - OELs - Ceilings 0.2 ppm 0.24 mg/m³ 0.5 mg/m^{3} Latvia OEL - TWA Lithuania OEL - TWA 0.5 ppm 0.6 mg/m^3 **Netherlands OEL - TWA** 0.15 mg/m³ **Vietnam OEL - TWAs** 0.5 mg/m³ **OSHA - Final PELS - TWAs:** 0.75 ppm **OSHA - Specifically Regulated Chemicals** 2 ppm 0.5 ppm 0.75 ppm Poland OEL - TWA 0.5 mg/m³ Romania OEL - TWA 1 ppm 1.20 mg/m³ Slovakia OEL - TWA 0.3 ppm 0.37 mg/m³ Slovenia OEL - TWA 0.5 ppm 0.62 mg/m³

0.3 ppm 0.37 mg/m³

0.3 ppm 0.37 mg/m³

Sweden OEL - TWAs

Switzerland OEL -TWAs

Material Name: Bovine Rota-Coronavirus Vaccine, Killed Page 5 of 10

Virus, Clostridium Perfringens Type C-Escherichia Coli

Bacterin-Toxoid

Revision date: 14-Jan-2014 Version: 3.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Gentamicin

Bulgaria OEL - TWA 0.1 mg/m³

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

Gentamicin

Zoetis OEB OEB 2 (control exposure to the range of 100ug/m³ to < 1000ug/m³)

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. Exposure

monitoring may be necessary to determine requirements.

Personal Protective Refer to applicable national standards and regulations in the selection and use of personal

Equipment: protective equipment (PPE).

Hands: Wear impervious gloves if skin contact is possible.

Eyes: Safety glasses or goggles

Skin: Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and

laboratory areas.

Respiratory protection: In the event of a spill where the applicable Occupational Exposure Limit (OEL) may be

exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures

below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:Liquid solution in multiple-dose vials
No data available.Color:No data available.Odor:No data available.

Molecular Formula: Mixture Molecular Weight: Mixture

Solvent Solubility: No data available Water Solubility: No data available

Solubility: Soluble: Water (based on components)

pH: 7.0 +/- 1.5

Melting/Freezing Point (°C): No data available

Boiling Point (°C): >100

Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s): No data available

Vapor Pressure (kPa): Expected to be negligible

Vapor Density (g/ml):No data availableRelative Density:No data availableSpecific Gravity:1.0 +/-0.2Viscosity:No data available

Flammablity:

Autoignition Temperature (Solid) (°C):

Flammability (Solids):

No data available
No data available

Material Name: Bovine Rota-Coronavirus Vaccine, Killed Page 6 of 10

Virus, Clostridium Perfringens Type C-Escherichia Coli

Bacterin-Toxoid

Revision date: 14-Jan-2014 Version: 3.0

Flash Point (Liquid) (°C):

Upper Explosive Limits (Liquid) (% by Vol.):

Lower Explosive Limits (Liquid) (% by Vol.):

Polymerization:

No data available
Will not occur

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do

not freeze.

Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy

metals.

Hazardous Decomposition

Products:

No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information:

Toxicological properties of the formulation have not been fully investigated. The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The primary hazards are due to the formaldehyde content. The information included in this section describes the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Quil-A saponin

Rat IV LD50 670 ug/kg

Gentamicin

Rat Oral LD50 6600 mg/kg

Rat Subcutaneous LD50 710mg/kg

Mouse IM LD50 167 mg/kg Rat IM LD50 463 mg/kg

Merthiolate (as mercury)

Rat Oral LD50 75 mg/kg

Rat Subcutaneous LD50 98mg/kg

Formaldehyde

Rat Oral LD50 800 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Gentamicin

Eye Irritation Rabbit Non-irritating

Page 7 of 10

Material Name: Bovine Rota-Coronavirus Vaccine, Killed

Virus, Clostridium Perfringens Type C-Escherichia Coli

Bacterin-Toxoid

Revision date: 14-Jan-2014 Version: 3.0

11. TOXICOLOGICAL INFORMATION

Merthiolate (as mercury)

Eye Irritation Rabbit Mild

Formaldehyde

Eye Irritation Rabbit Severe

Skin Irritation Rabbit Moderate Severe

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

90 Day(s) Dog Inhalation Not Specified Lungs 90 Day(s) Rat Inhalation Not Specified Lungs 90 Day(s) Monkey Inhalation Not Specified Lungs

9 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Gentamicin

Embryo / Fetal Development Rat Intramuscular 75 mg/kg/day LOAEL Developmental toxicity

Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive
In Vitro Chromosome Aberration Rodent Positive
In Vitro Sister Chromatid Exchange Rodent Positive
In Vivo Chromosome Aberration Not specified Positive

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status: No known carcinogens are present at greater than 0.1%

Formaldehyde

IARC: Group 1 (Carcinogenic to Humans)
NTP: Known Human Carcinogen

OSHA: Listed

Material Name: Bovine Rota-Coronavirus Vaccine, Killed Virus, Clostridium Perfringens Type C-Escherichia Coli

Bacterin-Toxoid

Revision date: 14-Jan-2014 Version: 3.0

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. Releases to

the environment should be avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. This product contains trace quantities of m-cresol and may qualify as a RCRA Hazardous Waste. Status should be confirmed using the EPA Toxicity Characteristic Leaching Procedure (TCLP).

Page 8 of 10

Formaldehyde

RCRA - U Series Wastes Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications
WHMIS hazard class:
None required

Material Name: Bovine Rota-Coronavirus Vaccine, Killed Page 9 of 10

Virus, Clostridium Perfringens Type C-Escherichia Coli

Bacterin-Toxoid

Revision date: 14-Jan-2014 Version: 3.0

15. REGULATORY INFORMATION

Bovine coronavirus

CERCLA/SARA 313 Emission reporting

California Proposition 65

Not Listed

EU EINECS/ELINCS List

Not Listed

Bovine rotavirus

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

Clostridium perfringens type C

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

Quil-A saponin

CERCLA/SARA 313 Emission reporting

California Proposition 65

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Formaldehyde

CERCLA/SARA 313 Emission reporting 0.1 %
CERCLA/SARA Hazardous Substances 100 lb
and their Reportable Quantities: 45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous 500 lb
TPQs

IFUS

CERCLA/SARA - Section 302 Extremely Hazardous 100 lb

Substances EPCRA RQs

California Proposition 65 carcinogen initial date 1/1/88 gas

OSHA - Specifically Regulated Chemicals 2 ppm 0.5 ppm

0.5 ppm 0.75 ppm Present

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Standard for the Uniform Scheduling
for Drugs and Poisons:

EU EINECS/ELINCS List

Present
Schedule 2
Schedule 6
200-001-8

Merthiolate (as mercury)

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Present

200-210-4

Gentamicin

CERCLA/SARA 313 Emission reporting Not Listed

Material Name: Bovine Rota-Coronavirus Vaccine, Killed Page 10 of 10

Virus, Clostridium Perfringens Type C-Escherichia Coli

Bacterin-Toxoid

Revision date: 14-Jan-2014 Version: 3.0

15. REGULATORY INFORMATION

California Proposition 65

Australia (AICS):

Standard for the Uniform Scheduling
for Drugs and Poisons:

Not Listed
Present
Schedule 4

EU EINECS/ELINCS List 215-765-8

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

H301 - Toxic if swallowed

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer

H331 - Toxic if inhaled

H330 - Fatal if inhaled

H310 - Fatal in contact with skin

H300 - Fatal if swallowed

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

R34 - Causes burns.

R40 - Limited evidence of a carcinogenic effect

R43 - May cause sensitization by skin contact.

R33 - Danger of cumulative effects.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed. R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.

Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 5 - Fire Fighting Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 15 -

Regulatory Information.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet