

SAFETY DATA SHEET



Revision date: 30-Jun-2014

Version: 4.5

Page 1 of 13

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: DECTOMAX (Doramectin) Pour-On Solution

Trade Name: DECTOMAX
Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary product used as antiparasitic, endectocide

Details of the Supplier of the Safety Data Sheet

Zoetis Inc.
100 Campus Drive, P.O. Box 651
Florham Park, New Jersey 07932 (USA)
Rocky Mountain Poison Control Center Phone: 1-866-531-8896
Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A.
Mercuriusstraat 20
1930 Zaventem
Belgium

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: VMIPSrecords@zoetis.com

Emergency telephone number:
International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Clear, colorless solution or clear, blue solution

Classification of the Substance or Mixture

GHS - Classification

Acute Oral Toxicity: Category 5
Serious Eye Damage/Eye Irritation: Category 2A
Reproductive Toxicity: Category 2
Reproductive Toxicity: Effects on or via lactation
Specific target organ systemic toxicity (single exposure): Category 3
Acute aquatic toxicity: Category 1
Chronic aquatic toxicity: Category 1
Flammable liquids- Category 2

EU Classification:

EU Indication of danger: Flammable
Irritant
Dangerous for the Environment

EU Symbol: F Xi N
EU Risk Phrases:

R11 - Highly flammable.
R36 - Irritating to eyes.
R67 - Vapors may cause drowsiness and dizziness.
R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Label Elements

SAFETY DATA SHEET

Material Name: DECTOMAX (Doramectin) Pour-On Solution
Revision date: 30-Jun-2014

Page 2 of 13
Version: 4.5

2. HAZARDS IDENTIFICATION

Signal Word:

Danger

Hazard Statements:

H225 - Highly flammable liquid and vapor
H319 - Causes serious eye irritation
H303 - May be harmful if swallowed
H336 - May cause drowsiness and dizziness
H361 - Suspected of damaging fertility or the unborn child
H362 - May cause harm to breast-fed children
H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements:

P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P240 - Ground/Bond container and receiving equipment
P233 - Keep container tightly closed
P241 - Use explosion-proof electrical/ventilating/lighting/equipment
P242 - Use only non-sparking tools
P243 - Take precautionary measures against static discharge
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P264 - Wash hands thoroughly after handling
P263 - Avoid contact during pregnancy/while nursing
P270 - Do not eat, drink or smoke when using this product
P271 - Use only outdoors or in a well-ventilated area
P273 - Avoid release to the environment
P308 + P313 - IF exposed or concerned: Get medical attention/advice
P312 - Call a POISON CENTRE/doctor/physician if you feel unwell
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical advice/attention
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P370 + P378 - In case of fire: Use water spray, carbon dioxide, dry chemical, foam for extinction
P391 - Collect spillage
P405 - Store locked up
P403 + P235 - Store in a well-ventilated place. Keep cool
P501 - Dispose of contents/container in accordance with all local and national regulations



Other Hazards

Short Term:

May be absorbed through the skin and cause systemic effects. Breathing high vapor concentrations may cause central nervous system (CNS) depression resulting in dizziness, light-headedness, headache, nausea, and loss of coordination. Continued inhalation may result in unconsciousness and death.

Long Term:

Prolonged or repeated contact may cause defatting and drying of the skin. Repeat-dose studies in animals have shown a potential to cause adverse effects on the developing fetus.

SAFETY DATA SHEET

Material Name: DECTOMAX (Doramectin) Pour-On Solution
Revision date: 30-Jun-2014

Page 3 of 13
Version: 4.5

Australian Hazard Classification (NOHSC): Hazardous Substance. Dangerous Goods.

Note: This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Isopropyl alcohol	67-63-0	200-661-7	F; R11 Xi; R36 R67	STOT SE 3 (H336) Flam. Liq. 2 (H225) Eye Irrit. 2A (H319)	79
Triethanolamine	102-71-6	203-049-8	Not Listed	Not Listed	1
Doramectin	117704-25-3	Not Listed	Xn;R22 N;R50/53 Repr.Cat.3;R63 R64	Acute Tox. 4 ,H302 Repr. 2,H361 Lact,H362 Aquatic Acute 1,H400 Aquatic Chronic 1,H410	0.5

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Cetearyl octanoate	59130-69-7	261-619-1	Not Listed	Not Listed	*
FD & C Blue No. 1	3844-45-9	223-339-8	Not Listed	Not Listed	*

Additional Information: * Proprietary
Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.

Skin Contact: Remove clothing and wash affected skin with soap and water. If irritation occurs or persists, get medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of Exposure: For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.

SAFETY DATA SHEET

Material Name: DECTOMAX (Doramectin) Pour-On Solution
Revision date: 30-Jun-2014

Page 4 of 13
Version: 4.5

Medical Conditions None known
Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed
Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Carbon dioxide, dry chemical, or foam

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Products: Emits toxic fumes of carbon monoxide, carbon dioxide, and nitrogen oxides.

Fire / Explosion Hazards: Flammable liquid and vapor. Vapors will form flammable or explosive mixtures with air at room temperature.

Advice for Fire-Fighters

Vapours may form explosive mixtures with air. Use spark-proof tools and explosion-proof equipment. Wear approved positive pressure, self-contained breathing apparatus and full protective turn out gear. Evacuate area and fight fire from a safe distance. Dike and collect water used to fight fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Collecting: Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Absorb spills with non-combustible absorbent material and transfer into a labeled container for disposal.

Additional Consideration for Large Spills: Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel. Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding procedures. Collect spill with a non-combustible absorbent material and transfer to labeled container for disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Highly Flammable. Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electricity), and follow appropriate grounding and bonding procedures. Take precautionary measures against static discharges. Use only in a well-ventilated area. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash hands and any exposed skin after removal of PPE. Releases to the environment should be avoided. Refer to Section 12 - Ecological Information, for information on potential effects on the environment. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

SAFETY DATA SHEET

Material Name: DECTOMAX (Doramectin) Pour-On Solution
Revision date: 30-Jun-2014

Page 5 of 13
Version: 4.5

Storage Conditions: Keep away from heat, sparks, flame, and other sources of ignition. Keep containers tightly closed in a cool, well-ventilated place. Store as directed by product packaging.

Incompatible Materials: Strong oxidizers

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Isopropyl alcohol

ACGIH Threshold Limit Value (TWA)	200 ppm
ACGIH Threshold Limit Value (STEL)	400 ppm
ACGIH - Biological Exposure Limit:	40 mg/L
Australia STEL	500 ppm
	1230 mg/m ³
Australia TWA	400 ppm
	983 mg/m ³
Austria OEL - MAKs	200 ppm
	500 mg/m ³
Belgium OEL - TWA	200 ppm
	500 mg/m ³
Bulgaria OEL - TWA	980.0 mg/m ³
Czech Republic OEL - TWA	500 mg/m ³
Denmark OEL - TWA	200 ppm
	490 mg/m ³
Estonia OEL - TWA	150 ppm
	350 mg/m ³
Finland OEL - TWA	200 ppm
	500 mg/m ³
Germany - TRGS 900 - TWAs	200 ppm
	500 mg/m ³
Germany (DFG) - MAK	200 ppm
	500 mg/m ³
Germany - Biological Exposure Limit:	25 mg/L
Greece OEL - TWA	400 ppm
	980 mg/m ³
Hungary OEL - TWA	500 mg/m ³
Ireland OEL - TWAs	200 ppm
Japan - OELs - Ceilings	400 ppm
	980 mg/m ³
Latvia OEL - TWA	350 mg/m ³
Lithuania OEL - TWA	150 ppm
	350 mg/m ³
OSHA - Final PELs - TWAs:	400 ppm
	980 mg/m ³
Poland OEL - TWA	900 mg/m ³
Portugal OEL - TWA	200 ppm
Romania OEL - TWA	81 ppm
	200 mg/m ³
Romania - Biological Exposure Limit:	50 mg/L
Slovakia OEL - TWA	200 ppm
	500 mg/m ³
Slovenia OEL - TWA	200 ppm
	500 mg/m ³

SAFETY DATA SHEET

Material Name: DECTOMAX (Doramectin) Pour-On Solution
 Revision date: 30-Jun-2014

Page 6 of 13
 Version: 4.5

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Spain OEL - TWA	200 ppm 500 mg/m ³
Spain - Biological Exposure Limit:	40 mg/L
Sweden OEL - TWAs	150 ppm 350 mg/m ³
Switzerland OEL -TWAs	200 ppm 500 mg/m ³

Triethanolamine

ACGIH Threshold Limit Value (TWA)	5 mg/m ³
Australia TWA	5 mg/m ³
Austria OEL - MAKs	0.8 ppm 5 mg/m ³
Belgium OEL - TWA	5 mg/m ³
Czech Republic OEL - TWA	5 mg/m ³
Denmark OEL - TWA	0.5 ppm 3.1 mg/m ³
Estonia OEL - TWA	5 mg/m ³
Finland OEL - TWA	5 mg/m ³
Germany (DFG) - MAK	5 mg/m ³
Ireland OEL - TWAs	5 mg/m ³
Lithuania OEL - TWA	5 mg/m ³
Portugal OEL - TWA	5 mg/m ³
Slovenia OEL - TWA	5 mg/m ³
Spain OEL - TWA	5 mg/m ³
Sweden OEL - TWAs	5 mg/m ³ 0.8 ppm
Switzerland OEL -TWAs	5 mg/m ³

Doramectin

Zoetis OEL TWA 8-hr	200µg/m ³
---------------------	----------------------

Exposure Controls

Engineering Controls:	Engineering controls should be used as the primary means to control exposures. Keep airborne contamination levels below the exposure limits listed above in this section.
Personal Protective Equipment:	Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).
Hands:	Impervious gloves are recommended if skin contact with drug product is possible and for bulk processing operations.
Eyes:	Wear safety glasses or goggles if eye contact is possible.
Skin:	Impervious protective clothing is recommended if skin contact with drug product is possible and for bulk processing operations.
Respiratory protection:	If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.

SAFETY DATA SHEET

Material Name: DECTOMAX (Doramectin) Pour-On Solution
Revision date: 30-Jun-2014

Page 7 of 13
Version: 4.5

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid	Color:	Colorless or Blue
Odor:	Characteristic	Odor Threshold:	No data available.
Molecular Formula:	Mixture	Molecular Weight:	Mixture
Solvent Solubility:	No data available		
Water Solubility:	No data available		
pH:	No data available.		
Melting/Freezing Point (°C):	No data available		
Boiling Point (°C):	84		
Partition Coefficient: (Method, pH, Endpoint, Value)			
No data available			
Doramectin			
Measured Log P 4.4			
Decomposition Temperature (°C):	No data available.		
Evaporation Rate (Gram/s):	No data available		
Vapor Pressure (kPa):	No data available		
Vapor Density (g/ml):	No data available		
Relative Density:	No data available		
Specific Gravity:	0.796 - 0.799(25 °C)		
Viscosity:	No data available		
Flammability:			
Autoignition Temperature (Solid) (°C):		No data available	
Flammability (Solids):		No data available	
Flash Point (Liquid) (°C):		14.4	
Upper Explosive Limits (Liquid) (% by Vol.):		No data available	
Lower Explosive Limits (Liquid) (% by Vol.):		No data available	
Polymerization:		Will not occur	

10. STABILITY AND REACTIVITY

Reactivity:	No data available
Chemical Stability:	Stable under normal conditions of use.
Possibility of Hazardous Reactions	
Oxidizing Properties:	No data available
Conditions to Avoid:	Eliminate possible ignition sources (e.g., heat, sparks, flame, impact, friction, electrostatic discharge).
Incompatible Materials:	Strong oxidizers
Hazardous Decomposition Products:	May form toxic materials such as carbon monoxide and carbon dioxide.

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: Toxicological properties of the formulation have not been fully investigated. The information included in this section describes the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

SAFETY DATA SHEET

Material Name: DECTOMAX (Doramectin) Pour-On Solution
Revision date: 30-Jun-2014

Page 8 of 13
Version: 4.5

11. TOXICOLOGICAL INFORMATION

Isopropyl alcohol

Rat Oral LD50 > 2000 mg/kg
Mouse Oral LD50 3600 mg/kg
Rat Inhalation LC50-8h 16,000 ppm
Rabbit Dermal LD50 12800 mg/kg
Rat Inhalation LC50 30mg/L

Doramectin

Rat (M) Oral LD50 1000-2000 mg/kg
Rat (F) Oral LD50 500-1000mg/kg

Triethanolamine

Rat Oral LD50 8 g/kg
Rabbit Dermal LD50 20g/kg

Acute Toxicity Comments:

A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Isopropyl alcohol

Eye Irritation Rabbit Severe
Skin Irritation Rabbit Mild

Doramectin

Eye Irritation Rabbit Non-irritating
Skin Irritation Rabbit Non-irritating

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Isopropyl alcohol

20 Week(s) Rat Inhalation 4000 ppm NOEL Liver, Central nervous system
104 Week(s) Rat Inhalation 5000 ppm Kidney

Doramectin

3 Month(s) Rat Oral 2 mg/kg/day NOEL Liver
3 Month(s) Dog Oral 0.1 mg/kg/day NOEL Central Nervous System

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Isopropyl alcohol

Prenatal & Postnatal Development Rat Inhalation 7,000 ppm LOAEL Maternal toxicity, Fetotoxicity, Embryotoxicity
2 Generation Reproductive Toxicity Rat Oral 1000 mg/kg/day LOAEL Maternal Toxicity, Fetal mortality
Prenatal & Postnatal Development Rat Oral 1200 mg/kg/day NOAEL No effects at maximum dose

Doramectin

Embryo / Fetal Development Rat Oral >6 mg/kg/day NOEL Not teratogenic
Embryo / Fetal Development Mouse Oral 3 mg/kg/day NOEL Fetotoxicity, Not Teratogenic
Embryo / Fetal Development Rabbit Oral 0.75 mg/kg/day NOEL Maternal Toxicity, Teratogenic

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

SAFETY DATA SHEET

Material Name: DECTOMAX (Doramectin) Pour-On Solution
Revision date: 30-Jun-2014

Page 9 of 13
Version: 4.5

11. TOXICOLOGICAL INFORMATION

Isopropyl alcohol

Bacterial Mutagenicity (Ames) *Salmonella* Negative
Mammalian Cell Mutagenicity HGPRT Chinese Hamster Ovary (CHO) cells Negative
In Vitro Sister Chromatid Exchange Negative

Doramectin

Bacterial Mutagenicity (Ames) *Salmonella* Negative
Mammalian Cell Mutagenicity Mouse Lymphoma Negative
Unscheduled DNA Synthesis Rat Hepatocyte Negative

Carcinogen Status:

None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.
See below

FD & C Blue No. 1

IARC: Group 3 (Not Classifiable)

Isopropyl alcohol

IARC: Group 3 (Not Classifiable)

Triethanolamine

IARC: Group 3 (Not Classifiable)

SAFETY DATA SHEET

Material Name: DECTOMAX (Doramectin) Pour-On Solution
Revision date: 30-Jun-2014

Page 10 of 13
Version: 4.5

12. ECOLOGICAL INFORMATION

Environmental Overview: Releases to the environment should be avoided. Very toxic to aquatic life with long lasting effects. As with other members of the avermectin family, doramectin is highly toxic to fish and certain aquatic organisms. However, once in contact with soil, it is tightly bound and does not readily desorb. It is unlikely to reach groundwater and is also biodegradable by soil microflora.

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Doramectin

<i>Daphnia magna</i> (Water Flea)	TAD	EC50	48 Hours	0.00010 mg/L
<i>Lepomis macrochirus</i> (Bluegill Sunfish)	TAD	LC50	96 Hours	0.011 mg/L
<i>Oncorhynchus mykiss</i> (Rainbow Trout)	TAD	LC50	96 Hours	0.0051 mg/L

Triethanolamine

<i>Brachydanio rerio</i> (Zebra fish)	LC50	96 Hours	11,800 mg/L
<i>Ceriodaphnia dubia</i> (Daphnids)	EC50	48 Hours	610 mg/L
<i>Daphnia Magna</i> (Water Flea)	EC50	24 Hours	1386 mg/L
<i>Daphnia magna</i> (Water Flea)	NOEC	21 Days	16 mg/L

Bacterial Inhibition: (Inoculum, Method, End Point, Result)

Doramectin

<i>Aspergillus niger</i> (Fungus)	TAD	MIC	600 mg/L
<i>Clostridium perfringens</i> (Bacterium)	TAD	MIC	40 mg/L

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Doramectin

Measured Log P 4.4

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

This material is regulated for transportation as a hazardous material/dangerous good.

SAFETY DATA SHEET

Material Name: DECTOMAX (Doramectin) Pour-On Solution
Revision date: 30-Jun-2014

Page 11 of 13
Version: 4.5

UN number: UN 1219
UN proper shipping name: Manufactured before January 1, 2010: UN 1993, Flammable liquid, n.o.s. (Isopropanol), 3, II
Manufactured after January 1, 2010: Isopropanol solution, Marine Pollutant
Transport hazard class(es): 3
Packing group: II
Environmental Hazard(s): Marine Pollutant
Flash Point (°C): 14.4

For small quantities packed in combination packaging [limited to inner packaging < 1.0L (0.3 gal) and outer packaging < 30 kg (66 lb.) gross weight], the following will apply: If your commodity meets the definition of a limited quantity and is packaged for retail sale, it may be considered a consumer commodity and excepted from additional requirements as applicable. Transport according to the requirements of the appropriate regulatory body.

IATA / ICAO

IATA UN / ID No: ID 8000
IATA Proper shipping name: Consumer Commodity
IATA Hazard Class: 9
IATA Packing Group: Not applicable
IATA Limits: [Inner packaging <= 500 mL (17 Fl. Oz); Outer packaging <= 30 kg (66 lb) gross weight.]

IMDG IMDG

IMDG UN / ID No: UN 1219
IMDG Proper shipping name: Isopropanol Solution Ltd. Qty. Marine pollutant (Doramectin)
IMDG Hazard Class: 3
IMDG Packing Group: II
Flash Point (°C): 14.4

ADR/RID

ADR / RID UN / ID No: UN 1219
ADR/RID Proper shipping name: Isopropanol Solution Ltd. Qty.
ADR / RID Hazard Class: 3
ADR / RID Packing Group: II
ADR/RID Note: ADR Limited Quantity is <= 3.0 liters per inner packaging. Outer packaging <= 30 kg. (66 lb) max.

DOT

DOT Proper shipping name: Consumer Commodity
DOT Hazard Class: ORM-D

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

Class B, Division 2
Class D, Division 2, Subdivision A
Class D, Division 2, Subdivision B

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

SAFETY DATA SHEET

Material Name: DECTOMAX (Doramectin) Pour-On Solution
Revision date: 30-Jun-2014

Page 12 of 13
Version: 4.5

15. REGULATORY INFORMATION



Isopropyl alcohol

CERCLA/SARA 313 Emission reporting	1.0 %
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	200-661-7

Triethanolamine

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 5
EU EINECS/ELINCS List	203-049-8

Doramectin

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 5 Schedule 6 Schedule 7
EU EINECS/ELINCS List	Not Listed

Cetearyl octanoate

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	261-619-1

FD & C Blue No. 1

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	223-339-8

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

SAFETY DATA SHEET

Material Name: DECTOMAX (Doramectin) Pour-On Solution
Revision date: 30-Jun-2014

Page 13 of 13
Version: 4.5

H225 - Highly flammable liquid and vapor
H302 - Harmful if swallowed
H319 - Causes serious eye irritation
H361 - Suspected of damaging fertility or the unborn child
H336 - May cause drowsiness and dizziness
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Xi - Irritant
F - Highly flammable
Xn - Harmful
N - Dangerous for the environment
Toxic to Reproduction: Category 3

R11 - Highly flammable.
R22 - Harmful if swallowed.
R36 - Irritating to eyes.
R63 - Possible risk of harm to the unborn child.
R64 - May cause harm to breastfed babies.
R67 - Vapors may cause drowsiness and dizziness.
R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 12 - Ecological Information. Updated Section 15 - Regulatory Information.

Prepared by: Toxicology and Hazard Communication
Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet