

Revision date: 14-Jan-2014 Version: 2.0 Page 1 of 12

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

**Product Identifier** 

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3-Respiratory Syncytial Virus Vaccine, Modified Live & Killed Virus-Campylobacter fetus-Leptospira Canicola-Grippotyphosa-Hardjo-

Ichterohaemorrhagiae-Pomona Bacterin

Trade Name: CattleMaster (R) 4+VL5

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary Vaccine

**Details of the Supplier of the Safety Data Sheet** 

Zoetis Inc.

100 Campus Drive, P.O. Box 651

Florham Park, New Jersey 07932 (USA)

Rocky Mountain Poison Control Center Phone: 1-866-531-8896

Zoetis Belgium S.A.

Mercuriusstraat 20
1930 Zaventem

Belgium

Rocky Mountain Poison Control Center Phone: 1-866-531-8896 Product Support/Technical Services Phone: 1-800-366-5288

Emergency telephone number: Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300 International CHEMTREC (24 hours): +1-703-527-3887

Contact E-Mail: VMIPSrecords@zoetis.com

# 2. HAZARDS IDENTIFICATION

Appearance: Freeze-dried preparation plus a liquid adjuvanted preparation

Classification of the Substance or Mixture

GHS - Classification Not classified as hazardous

**EU Classification:** 

EU Indication of danger: Not classified

**Label Elements** 

Signal Word: Not Classified

Hazard Statements: Not classified in accordance with international standards for workplace safety.

Other Hazards

**Short Term:** May cause eye and skin irritation. May cause allergic skin reaction . May cause nose, throat

and lung irritation. In the event of accidental injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the

appropriate therapy instituted.

**Australian Hazard Classification** 

(NOHSC):

Non-Hazardous Substance. Non-Dangerous Goods.

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3-Respiratory Syncytial Virus Vaccine, Modified Live & Killed Virus-Campylobacter fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Ichterohaemorrhagiae-Pomona

**Bacterin** 

Revision date: 14-Jan-2014 Version: 2.0

Note:

This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

Page 2 of 12

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Hazardous**

| Ingredient               | CAS Number | EU<br>EINECS/ELINCS<br>List | EU Classification                                | GHS<br>Classification   | %    |
|--------------------------|------------|-----------------------------|--|---|------|
| Formaldehyde             | 50-00-0    | 200-001-8                   | T; R23/24/25<br>C; R34<br>Carc.Cat.3; R40<br>R43 | Acute Tox. 3<br>(H301)<br>Skin Corr. 1B<br>(H314)<br>Skin Sens. 1<br>(H317)<br>Carc. 2 (H351)<br>Acute Tox. 3<br>(H331)                         | <0.1 |
| Merthiolate (as mercury) | 54-64-8    | 200-210-4                   | T+; R26/27/28<br>R33<br>N; R50/53                | Acute Tox. 2<br>(H330)<br>Acute Tox. 2<br>(H310)<br>Acute Tox. 1<br>(H300)<br>STOT RE 2 (H373)<br>Aq. Acute 1 (H400)<br>Aq. Chronic 1<br>(H410) | ##   |
| Gentamicin               | 1403-66-3  | 215-765-8                   | Not Listed                                       | Not Listed  | ##   |

| Ingredient                         | CAS Number   | EU<br>EINECS/ELINCS<br>List | EU Classification | GHS<br>Classification | % |
|------------------------------------|--------------|-----------------------------|-------------------|-----------------------|---|
| Aluminum hydroxide                 | 21645-51-2   | 244-492-7                   | Not Listed        | Not Listed            | * |
| Bovine Parainfluenza3              | NOT ASSIGNED | Not Listed                  | Not Listed        | Not Listed            | * |
| Campylobacter fetus                | NOT ASSIGNED | Not Listed                  | Not Listed        | Not Listed            | * |
| Leptospira canicola                | NOT ASSIGNED | Not Listed                  | Not Listed        | Not Listed            | * |
| Leptospira grippotyphosa           | NOT ASSIGNED | Not Listed                  | Not Listed        | Not Listed            | * |
| Leptospira hardjo                  | NOT ASSIGNED | Not Listed                  | Not Listed        | Not Listed            | * |
| Leptospira icterohaemorrhagiae     | NOT ASSIGNED | Not Listed                  | Not Listed        | Not Listed            | * |
| Leptospira pomona                  | NOT ASSIGNED | Not Listed                  | Not Listed        | Not Listed            | * |
| Bovine Respiratory Syncytial Virus | NOT ASSIGNED | Not Listed                  | Not Listed        | Not Listed            | * |
| Bovine Rhinotrachetitis            | NOT ASSIGNED | Not Listed                  | Not Listed        | Not Listed            | * |
| Bovine Virus Diarrhea              | NOT ASSIGNED | Not Listed                  | Not Listed        | Not Listed            | * |

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3-Respiratory Syncytial Virus Vaccine, Modified Live & Killed Virus-Campylobacter fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Ichterohaemorrhagiae-Pomona

Bacterin

Revision date: 14-Jan-2014 Version: 2.0

Additional Information: \* Proprietary

## Trace

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

Page 3 of 12

safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

# 4. FIRST AID MEASURES

**Description of First Aid Measures** 

Eye Contact: Immediately flush eyes with water for at least 15 minutes. If irritation occurs or persists, get

medical attention.

**Skin Contact:** Wash skin with soap and water. If irritation occurs or persists, get medical attention.

**Ingestion:** Get medical attention. Do not induce vomiting unless directed by medical personnel. Never

give anything by mouth to an unconscious person.

**Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention

immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

**Symptoms and Effects of** For information on potential signs and symptoms of exposure, See Section 2 - Hazards

**Exposure:** Identification and/or Section 11 - Toxicological Information.

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

# 5. FIRE-FIGHTING MEASURES

**Extinguishing Media:** Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

**Hazardous Combustion** Formation of toxic gases is possible during heating or fire.

Products:

**Fire / Explosion Hazards:** Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus. Dike and collect water used to fight fire.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

# **Environmental Precautions**

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

4400.00

Page 4 of 12

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3-Respiratory Syncytial Virus Vaccine, Modified Live & Killed Virus-Campylobacter fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Ichterohaemorrhagiae-Pomona

**Bacterin** 

Revision date: 14-Jan-2014 Version: 2.0

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Clean contaminated surface thoroughly.

Collecting:

Additional Consideration for Non-essential personnel should be evacuated from affected area. Report emergency

**Large Spills:** situations immediately. Clean up operations should only be undertaken by trained personnel.

# 7. HANDLING AND STORAGE

### **Precautions for Safe Handling**

Keep away from heat, sparks, and flame. Use with adequate ventilation. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Prevent environmental releases. Use appropriate personal protective equipment. Avoid accidental injection.

Conditions for Safe Storage, Including any Incompatibilities

**Storage Conditions:** Store under refrigeration in closed container.

Storage Temperature: 2-7°C (35 - 45°F)
Specific end use(s): No data available

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### **Control Parameters**

Refer to available public information for specific member state Occupational Exposure Limits.

### Aluminum hydroxide

| ACGIH Threshold Limit Value (TWA) | 1 mg/m³               |
|-----------------------------------|-----------------------|
| Austria OEL - MAKs                | 5 mg/m <sup>3</sup>   |
| Germany (DFG) - MAK               | 4 mg/m <sup>3</sup>   |
|                                   | 1.5 mg/m <sup>3</sup> |
| Latvia OEL - TWA                  | 6 mg/m <sup>3</sup>   |
| Lithuania OEL - TWA               | 6 mg/m <sup>3</sup>   |
| Poland OEL - TWA                  | 2.5 mg/m <sup>3</sup> |
|                                   | 1.2 mg/m <sup>3</sup> |
| Slovakia OEL - TWA                | 1.5 mg/m <sup>3</sup> |
| Switzerland OEL -TWAs             | 3 mg/m <sup>3</sup>   |

#### **Formaldehyde**

| 0.3 ppm               |
|-----------------------|
| Sensitizer            |
| 2 ppm                 |
| 2.5 mg/m <sup>3</sup> |
| 1 ppm                 |
| 1.2 mg/m <sup>3</sup> |
| 0.5 ppm               |
| 0.6 mg/m <sup>3</sup> |
| 1.0 mg/m <sup>3</sup> |
| 0.5 mg/m <sup>3</sup> |
| 0.5 ppm               |
| 0.6 mg/m <sup>3</sup> |
|                       |

44B9.22

Page 5 of 12

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3-Respiratory Syncytial Virus Vaccine, Modified Live & Killed Virus-Campylobacter fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Ichterohaemorrhagiae-Pomona

Bacterin

Revision date: 14-Jan-2014 Version: 2.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Finland OEL - TWA 0.3 ppm 0.37 mg/m<sup>3</sup> France OEL - TWA 0.5 ppm Germany (DFG) - MAK 0.3 ppm 0.37 mg/m<sup>3</sup> no irritation should occur during mixed exposure **Greece OEL - TWA** 2 ppm 2.5 mg/m<sup>3</sup> 0.6 mg/m<sup>3</sup> **Hungary OEL - TWA** Ireland OEL - TWAs 2 ppm 2.5 mg/m<sup>3</sup> Japan - OELs - Ceilings 0.2 ppm 0.24 mg/m<sup>3</sup>  $0.5 \text{ mg/m}^{3}$ Latvia OEL - TWA 0.5 ppm Lithuania OEL - TWA 0.6 mg/m<sup>3</sup> **Netherlands OEL - TWA** 0.15 mg/m<sup>3</sup> 0.5 mg/m<sup>3</sup> Vietnam OEL - TWAs **OSHA - Final PELS - TWAs:** 0.75 ppm **OSHA - Specifically Regulated Chemicals** 2 ppm 0.5 ppm 0.75 ppm **Poland OEL - TWA**  $0.5 \text{ mg/m}^{3}$ Romania OEL - TWA 1 ppm 1.20 mg/m<sup>3</sup> Slovakia OEL - TWA 0.3 ppm 0.37 mg/m<sup>3</sup> 0.5 ppm Slovenia OEL - TWA 0.62 mg/m<sup>3</sup> Sweden OEL - TWAs 0.3 ppm 0.37 mg/m<sup>3</sup> **Switzerland OEL -TWAs** 0.3 ppm  $0.37 \text{ mg/m}^3$ 

Gentamicin

Bulgaria OEL - TWA 0.1 mg/m<sup>3</sup>

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

Gentamicin

**Zoetis OEB** OEB 2 (control exposure to the range of 100ug/m³ to < 1000ug/m³)

**Exposure Controls** 

Engineering Controls: Engineering controls should be used as the primary means to control exposures. Exposure

monitoring may be necessary to determine requirements.

Personal Protective Refer to applicable national standards and regulations in the selection and use of personal

**Equipment:** protective equipment (PPE).

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3-Respiratory Syncytial Virus Vaccine, Modified Live & Killed Virus-Campylobacter fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Ichterohaemorrhagiae-Pomona

**Bacterin** 

Revision date: 14-Jan-2014

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Wear impervious gloves if skin contact is possible. Hands:

Eves: Safety glasses or goggles

Skin: Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and

laboratory areas.

Respiratory protection: In the event of a spill where the applicable Occupational Exposure Limit (OEL) may be

exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures

below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Freeze-dried preparation plus Liquid Color: No data available. Odor: No data available. No data available. Odor Threshold:

Molecular Formula: Mixture **Molecular Weight:** Mixture

**Solvent Solubility:** No data available Water Solubility: No data available

Solubility: Soluble: Water (based on components)

7.0 +/- 1.5 pH: **Melting/Freezing Point (°C):** No data available

**Boiling Point (°C):** >100 Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

**Decomposition Temperature (°C):** No data available.

**Evaporation Rate (Gram/s):** No data available Vapor Pressure (kPa): No data available Vapor Density (g/ml): No data available **Relative Density:** No data available Specific Gravity: 1.0 + / - 0.2Viscosity: No data available

Flammablity:

Autoignition Temperature (Solid) (°C): No data available Flammability (Solids): No data available Flash Point (Liquid) (°C): No data available Upper Explosive Limits (Liquid) (% by Vol.): No data available Lower Explosive Limits (Liquid) (% by Vol.): No data available Polymerization: Will not occur

10. STABILITY AND REACTIVITY

Reactivity: No data available

**Chemical Stability:** Stable

**Possibility of Hazardous Reactions** 

**Oxidizing Properties:** No data available

Avoid prolonged exposure to higher temperatures and/or direct sunlight. Do not freeze. **Conditions to Avoid:** 

**Incompatible Materials:** As a precautionary measure, keep away from strong oxidizers

None known

**Hazardous Decomposition** 

**Products:** 

44B9.22

Page 6 of 12

Version: 2.0

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3-Respiratory Syncytial Virus Vaccine, Modified Live & Killed Virus-Campylobacter fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Ichterohaemorrhagiae-Pomona

**Bacterin** 

Revision date: 14-Jan-2014 Version: 2.0

# 11. TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects **General Information:**

Toxicological properties of the formulation have not been fully investigated. The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The primary hazards are due to the formaldehyde content. The information included in this section describes the potential hazards of the individual inaredients.

Page 7 of 12

### Acute Toxicity: (Species, Route, End Point, Dose)

# Merthiolate (as mercury)

Rat Oral LD50 75 mg/kg

Rat Subcutaneous LD50 98mg/kg

#### Gentamicin

Oral LD50 6600 mg/kg Rat Rat Subcutaneous LD50 710mg/kg Mouse IM LD50 167 mg/kg IM LD50 463 mg/kg Rat

### **Formaldehyde**

Oral LD50 800 mg/kg

# Irritation / Sensitization: (Study Type, Species, Severity)

# Merthiolate (as mercury)

Eye Irritation Rabbit

# Gentamicin

Eye Irritation Rabbit Non-irritating

### **Formaldehyde**

Eye Irritation Rabbit Severe

Skin Irritation Rabbit Moderate Severe

Skin Irritation / Sensitization This product contains formaldehyde and merthiolate which are considered to be skin

sensitizers.

### Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

#### **Formaldehyde**

90 Day(s) Inhalation Not Specified Lungs Dog 90 Day(s) Rat Inhalation Not Specified Lungs 90 Day(s) Monkey Inhalation Not Specified

9 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

44B9.22

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3-Respiratory Syncytial Virus Vaccine, Modified Live & Killed Virus-Campylobacter fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Ichterohaemorrhagiae-Pomona

**Bacterin** 

Revision date: 14-Jan-2014 Version: 2.0

\_\_\_\_\_

# 11. TOXICOLOGICAL INFORMATION

**Chronic Effects/Carcinogenicity** 

In rats, several inhalation studies have shown that formaldehyde induces squamous-cell carcinomas and necrosis of the nasal cavity. Formaldehyde also showed cocarcinogenic effects when inhaled, ingested, or applied to the skin of rodents.

Page 8 of 12

### Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Gentamicin

Embryo / Fetal Development Rat Intramuscular 75 mg/kg/day LOAEL Developmental toxicity

Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity Reproductive Effects Not considered to be a reproductive hazard.

# Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

### Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive
In Vitro Chromosome Aberration Rodent Positive
In Vitro Sister Chromatid Exchange Rodent Positive
In Vivo Chromosome Aberration Not specified Positive

#### Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

### **Formaldehyde**

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors 2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status: No known carcinogens are present at greater than 0.1%

**Formaldehyde** 

IARC: Group 1 (Carcinogenic to Humans)

NTP: Known Human Carcinogen

OSHA: Listed

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3-Respiratory Syncytial Virus Vaccine, Modified Live & Killed Virus-Campylobacter fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Ichterohaemorrhagiae-Pomona

**Bacterin** 

Revision date: 14-Jan-2014 Version: 2.0

# 12. ECOLOGICAL INFORMATION

**Environmental Overview:** The environmental characteristics of this material have not been fully evaluated. Releases to

the environment should be avoided.

**Toxicity:** No data available

No data available Persistence and Degradability:

**Bio-accumulative Potential:** No data available

Mobility in Soil: No data available

# 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods:** Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. This product contains trace quantities of mercury and may qualify as a RCRA Hazardous Waste. Status should be confirmed using the EPA Toxicity Characteristic Leaching Procedure (TCLP).

Page 9 of 12

**Formaldehyde** 

**RCRA - U Series Wastes** Listed

# 14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

# 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

Page 10 of 12

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3-Respiratory Syncytial Virus Vaccine, Modified Live & Killed Virus-Campylobacter fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Ichterohaemorrhagiae-Pomona

**Bacterin** 

Revision date: 14-Jan-2014 Version: 2.0

# 15. REGULATORY INFORMATION

### WHMIS hazard class:

None required

| Alun | ninum | hvd | lroxide  |
|------|-------|-----|----------|
| AIGH | min   | uy∨ | ii Oxiac |

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Present

244-492-7

#### **Bovine Parainfluenza3**

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

#### Campylobacter fetus

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

### Leptospira canicola

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

#### Leptospira grippotyphosa

CERCLA/SARA 313 Emission reporting

California Proposition 65

Not Listed

EU EINECS/ELINCS List

Not Listed

### Leptospira hardjo

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

#### Leptospira icterohaemorrhagiae

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

# Leptospira pomona

CERCLA/SARA 313 Emission reporting

California Proposition 65

Not Listed

EU EINECS/ELINCS List

Not Listed

### **Bovine Respiratory Syncytial Virus**

CERCLA/SARA 313 Emission reporting Not Listed

Page 11 of 12

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3-Respiratory Syncytial Virus Vaccine, Modified Live & Killed Virus-Campylobacter fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Ichterohaemorrhagiae-Pomona

Bacterin

Revision date: 14-Jan-2014 Version: 2.0

# 15. REGULATORY INFORMATION

100 lb

California Proposition 65 Not Listed EU EINECS/ELINCS List Not Listed

**Bovine Rhinotrachetitis** 

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

**Bovine Virus Diarrhea** 

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

Formaldehyde

CERCLA/SARA 313 Emission reporting 0.1 %
CERCLA/SARA Hazardous Substances 100 lb
and their Reportable Quantities: 45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous 500 lb

**TPQs** 

CERCLA/SARA - Section 302 Extremely Hazardous

Substances EPCRA RQs

California Proposition 65 carcinogen initial date 1/1/88 gas

OSHA - Specifically Regulated Chemicals 2 ppm 0.5 ppm 0.75 ppm

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Standard for the Uniform Scheduling
for Drugs and Poisons:

EU EINECS/ELINCS List

Present
Schedule 2
Schedule 6
200-001-8

Merthiolate (as mercury)

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not

Gentamicin

CERCLA/SARA 313 Emission reporting

California Proposition 65

Australia (AICS):

Standard for the Uniform Scheduling

Not Listed

Not Listed

Present

Schedule 4

for Drugs and Poisons:

EU EINECS/ELINCS List 215-765-8

Page 12 of 12

Material Name: Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza3-Respiratory Syncytial Virus Vaccine, Modified Live & Killed Virus-Campylobacter fetus-Leptospira Canicola-Grippotyphosa-Hardjo-Ichterohaemorrhagiae-Pomona

**Bacterin** 

Revision date: 14-Jan-2014 Version: 2.0

# **16. OTHER INFORMATION**

### Text of R phrases and GHS Classification abbreviations mentioned in Section 3

H301 - Toxic if swallowed

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer

H331 - Toxic if inhaled

H330 - Fatal if inhaled

H310 - Fatal in contact with skin

H300 - Fatal if swallowed

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

R34 - Causes burns.

R40 - Limited evidence of a carcinogenic effect

R43 - May cause sensitization by skin contact.

R33 - Danger of cumulative effects.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Data Sources:** The data contained in this MSDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.

Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures. Updated Section 5 - Fire Fighting Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 13 - Disposal Considerations. Updated Section 15 -

Regulatory Information.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

**End of Safety Data Sheet**