

Revision date: 03-Feb-2014

Version: 4.0

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

**Product Identifier** 

Material Name: Leptospira Hardjo Bacterin

Trade Name: Chemical Family: Spirovac® Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against Intended Use: Veterinary Vaccine

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651 Florham Park, New Jersey 07932 (USA) Rocky Mountain Poison Control Center Phone: 1-866-531-8896 Product Support/Technical Services Phone: 1-800-366-5288

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: VMIPSrecords@zoetis.com Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem Belgium

Emergency telephone number: International CHEMTREC (24 hours): +1-703-527-3887

# 2. HAZARDS IDENTIFICATION

 Appearance:
 Liquid solution in multiple-dose vials

 Classification of the Substance or Mixture
 Mixture

 GHS - Classification
 Not classified as hazardous

**EU Classification:** 

EU Indication of danger: Not classified

Label Elements

Signal Word:Not ClassifiedHazard Statements:Not classified in accordance with international standards for workplace safety.

Other Hazards<br/>Short Term:In the event of accidental injection, an allergic reaction may occur. If an allergic reaction<br/>occurs, the worker should be removed to the nearest emergency room and the appropriate<br/>therapy instituted.<br/>Non-Hazardous Substance. Non-Dangerous Goods.Australian Hazard Classification<br/>(NOHSC):This document has been prepared in accordance with standards for workplace safety, which<br/>require the inclusion of all known hazards of the product or its ingredients regardless of the<br/>potential risk. The precautionary statements and warnings included may not apply in all cases.<br/>Your needs may vary depending upon the potential for exposure in your workplace.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 2 (H351) Acute Tox. 3 (H331)	<0.01
Merthiolate (as mercury)	54-64-8	200-210-4	T+; R26/27/28 R33 N; R50/53	Acute Tox. 2 (H330) Acute Tox. 2 (H310) Acute Tox. 1 (H300) STOT RE 2 (H373) Aq. Acute 1 (H400) Aq. Chronic 1 (H410)	##

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Aluminum hydroxide	21645-51-2	244-492-7	Not Listed	Not Listed	*
Leptospira borgpeterseni serovar hardjo	NOT ASSIGNED	Not Listed	Xn;R22	Not Listed	*

Additional Information:

\* Proprietary

## Trace Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

# 4. FIRST AID MEASURES

Description of First Aid Measures Eye Contact:	Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.
Skin Contact:	Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.
Ingestion:	Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.
Inhalation:	Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of	For information on potential signs and symptoms of exposure, See Section 2 - Hazards
Exposure:	Identification and/or Section 11 - Toxicological Information.
Medical Conditions	None known
Aggravated by Exposure:	

Indication of the Immediate Medical Attention and Special Treatment Needed Notes to Physician: None

### **5. FIRE-FIGHTING MEASURES**

Extinguishing Media:

Extinguish fires with CO2, extinguishing powder, foam, or water.

#### Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation of toxic gases is possible during heating or fire. Products:

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

#### **Advice for Fire-Fighters**

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

#### **Environmental Precautions**

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

#### Methods and Material for Containment and Cleaning Up

 

 Measures for Cleaning / Collecting:
 Contain the source of the spill if it is safe to do so. Wipe up with a damp cloth and place in container for disposal. Clean contaminated surface thoroughly.

 Additional Consideration for Large Spills:
 Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

# 7. HANDLING AND STORAGE

#### Precautions for Safe Handling

Use with adequate ventilation. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Use appropriate personal protective equipment. Prevent environmental releases. Avoid accidental injection.

#### Conditions for Safe Storage, Including any Incompatibilities

 Storage Conditions:
 Store under refrigeration in closed container.

 Storage Temperature:
 2-7°C

 Incompatible Materials:
 This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.

 Specific end use(s):
 No data available

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control Parameters**

Refer to available public information for specific member state Occupational Exposure Limits.

#### Aluminum hydroxide

	ROLS / PERSONAL PROTECTION
ACGIH Threshold Limit Value (TWA)	1 mg/m <sup>3</sup>
Austria OEL - MAKs	5 mg/m <sup>3</sup>
Germany (DFG) - MAK	4 mg/m <sup>3</sup>
	1.5 mg/m <sup>3</sup>
Latvia OEL - TWA	6 mg/m <sup>3</sup>
Lithuania OEL - TWA	6 mg/m <sup>3</sup>
Poland OEL - TWA	2.5 mg/m <sup>3</sup> 1.2 mg/m <sup>3</sup>
Slovakia OEL - TWA	1.5 mg/m <sup>3</sup>
Switzerland OEL -TWAs	3 mg/m <sup>3</sup>
Formaldehyde	
ACGIH Ceiling Threshold Limit:	0.3 ppm
ACGIH - Sensitizer Designation	Sensitizer
Australia STEL	2 ppm
	2.5 mg/m <sup>3</sup>
Australia TWA	1 ppm
	1.2 mg/m <sup>3</sup>
Austria OEL - MAKs	0.5 ppm
	0.6 mg/m <sup>3</sup>
Bulgaria OEL - TWA	1.0 mg/m <sup>3</sup>
Czech Republic OEL - TWA	0.5 mg/m <sup>3</sup>
Estonia OEL - TWA	0.5 ppm
Finland OFL TAVA	0.6 mg/m <sup>3</sup>
Finland OEL - TWA	0.3 ppm 0.37 mg/m <sup>3</sup>
France OEL - TWA	0.57 mg/m² 0.5 ppm
Germany (DFG) - MAK	0.5 ppm
	0.3 mg/m <sup>3</sup> no irritation should occur during mixed exposure
Greece OEL - TWA	2 ppm
	2.5 mg/m <sup>3</sup>
Hungary OEL - TWA	0.6 mg/m <sup>3</sup>
Ireland OEL - TWAs	2 ppm
	2.5 mg/m <sup>3</sup>
Japan - OELs - Ceilings	0.2 ppm
	0.24 mg/m <sup>3</sup>
Latvia OEL - TWA	0.5 mg/m <sup>3</sup>
Lithuania OEL - TWA	0.5 ppm
	0.6 mg/m <sup>3</sup>
Netherlands OEL - TWA	0.15 mg/m <sup>3</sup>
Vietnam OEL - TWAs	0.5 mg/m <sup>3</sup>
OSHA - Final PELS - TWAs:	0.75 ppm
OSHA - Specifically Regulated Chemicals	2 ppm
	0.5 ppm
	0.75 ppm
Poland OEL - TWA	0.5 mg/m <sup>3</sup>
Romania OEL - TWA	1 ppm 1.20 mg/m <sup>3</sup>
Slovakia OEL - TWA	0.3 ppm
SISTUNU OLL - I MA	0.3 ppm 0.37 mg/m <sup>3</sup>
Slovenia OEL - TWA	0.5 ppm
	$0.62 \text{ mg/m}^3$

8. EXPO	SURE CONTROLS / PERSONAL PROTECTION	
Sweden OEL - TWAs	0.3 ppm	
	0.37 mg/m <sup>3</sup>	
Switzerland OEL -TWAs	0.3 ppm	
	0.37 mg/m <sup>3</sup>	
Exposure Controls		
Engineering Controls:	Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes.	
Personal Protective	Refer to applicable national standards and regulations in the selection and use of personal	
Equipment:	protective equipment (PPE).	
Hands:	Wear impervious gloves if skin contact is possible.	
Eyes:	Safety glasses or goggles	
Skin:	Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and	
	laboratory areas.	
Respiratory protection:	In the event of a spill where the applicable Occupational Exposure Limit (OEL) may be exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures below the OEL.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Aqueous liquid suspensio	n Color:	No data available.
Odor:	No data available.	Odor Threshold:	No data available.
Molecular Formula:	Mixture	Molecular Weigh	t: Mixture
Solvent Solubility:	No data available		
Water Solubility:	No data available		
Solubility:	Miscible: Water		
pH:	7.0 +/- 1.5		
Melting/Freezing Point (°C):	-0.5		
Boiling Point (°C):	100		
Partition Coefficient: (Method, pH, E	Endpoint, Value)		
No data available			
Decomposition Temperature (°C):	No data available.		
Evaporation Rate (Gram/s):	No data available		
Vapor Pressure (kPa):	3.19 (25 °C)		
Vapor Density (g/ml):	No data available		
Relative Density:	No data available		
Specific Gravity:	1.01		
Viscosity:	No data available		
Flammablity:			
Autoignition Temperature (So	olid) (°C):	No data available	
Flammability (Solids):		No data available	
Flash Point (Liquid) (°C):		Non-flammable	
Upper Explosive Limits (Liqui	id) (% by Vol.):	No data available	
Lower Explosive Limits (Liqu		No data available	
Polymerization:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Will not occur	
-			

# **10. STABILITY AND REACTIVITY**

#### Reactivity:

No data available

	10. STABILITY AND REACTIVITY
Chemical Stability:	Stable under normal conditions of use.
Possibility of Hazardous Reactions	
Oxidizing Properties:	No data available
Conditions to Avoid:	Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do not freeze.
Incompatible Materials:	This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.
Hazardous Decomposition Products:	None expected under normal conditions.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on Toxicological Effects

**General Information:** 

Toxicological properties of the formulation have not been fully investigated. The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The information included in this section describes the potential hazards of the individual ingredients.

#### Acute Toxicity: (Species, Route, End Point, Dose)

#### Merthiolate (as mercury)

Rat Oral LD50 75 mg/kg Rat Subcutaneous LD50 98mg/kg

#### Formaldehyde

Rat Oral LD50 800 mg/kg

#### Irritation / Sensitization: (Study Type, Species, Severity)

#### Merthiolate (as mercury)

Eye Irritation Rabbit Mild

#### Formaldehyde

Eye IrritationRabbitSevereSkin IrritationRabbitModerate Severe

#### Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

#### Formaldehyde

90 Day(s) Inhalation Not Specified Dog Lungs 90 Day(s) Inhalation Not Specified Rat Lungs 90 Day(s) Monkev Inhalation Not Specified Lunas 9 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

#### Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

#### Formaldehyde

Embryo / Fetal DevelopmentMouseOral 185 mg/kg/dayNot teratogenic, Maternal toxicityEmbryo / Fetal DevelopmentRatInhalation 40 ppmNot Teratogenic, Maternal Toxicity

# **11. TOXICOLOGICAL INFORMATION**

#### Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

#### Formaldehyde

*In Vitro* Bacterial Mutagenicity (Ames) Bacteria Positive *In Vitro* Chromosome Aberration Rodent Positive *In Vitro* Sister Chromatid Exchange Rodent Positive *In Vivo* Chromosome Aberration Not specified Positive

#### Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

#### Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors 2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status:	None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen.
Formaldehyde	
IARC:	Group 1 (Carcinogenic to Humans)
NTP:	Known Human Carcinogen
OSHA:	Listed

# **12. ECOLOGICAL INFORMATION**

Environmental Overview:	The environmental characteristics of this material have not been fully evaluated. This product contains trace quantities of mercury, releases to the environment should be avoided.
Toxicity:	No data available
Persistence and Degradability:	No data available
Bio-accumulative Potential:	No data available
Mobility in Soil:	No data available

# **13. DISPOSAL CONSIDERATIONS**

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. This product contains trace quantities of mercury and may qualify as a RCRA Hazardous Waste. Status should be confirmed using the EPA Toxicity Characteristic Leaching Procedure (TCLP).

Material Name: Leptospira Hardjo Bacterin Revision date: 03-Feb-2014

Formaldehyde RCRA - U Series Wastes

Listed

# **14. TRANSPORT INFORMATION**

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

# **15. REGULATORY INFORMATION**

#### Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

#### Canada - WHMIS: Classifications

WHMIS hazard class:

Non-controlled

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

Aluminum hydroxide	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	244-492-7
Formaldehyde	
CERCLA/SARA 313 Emission reporting	0.1 %
CERCLA/SARA Hazardous Substances	100 lb
and their Reportable Quantities:	45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous TPQs	500 lb
CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	100 lb
California Proposition 65	carcinogen initial date 1/1/88 gas
OSHA - Specifically Regulated Chemicals	2 ppm
	0.5 ppm
	0.75 ppm
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling	Schedule 2
for Drugs and Poisons:	Schedule 6
EU EINECS/ELINCS List	200-001-8

# **15. REGULATORY INFORMATION**

Merthiolate (as mercury)	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	200-210-4
Leptospira borgpeterseni serovar hardjo	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

## **16. OTHER INFORMATION**

#### Text of R phrases and GHS Classification abbreviations mentioned in Section 3

H300 - Fatal if swallowed

- H310 Fatal in contact with skin
- H330 Fatal if inhaled
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H373 May cause damage to organs through prolonged or repeated exposure
- H301 Toxic if swallowed
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H351 Suspected of causing cancer
- H331 Toxic if inhaled

T+ - Very toxic N - Dangerous for the environment T - Toxic Carcinogenic: Category 3 C - Corrosive

R33 - Danger of cumulative effects.

R34 - Causes burns.

R40 - Limited evidence of a carcinogenic effect

R43 - May cause sensitization by skin contact.

R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Data Sources:	The data contained in this MSDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.
Reasons for Revision:	Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures. Updated Section 5 - Fire Fighting Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 11 - Toxicology Information. Updated Section 12 - Ecological Information. Updated Section 15 - Regulatory Information.

Material Name: Leptospira Hardjo Bacterin Revision date: 03-Feb-2014

#### Prepared by:

Toxicology and Hazard Communication Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet