

SAFETY DATA SHEET



Revision date: 03-Oct-2013

Version: 3.1

Page 1 of 11

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS TOXOID

Trade Name: WEST NILE INNOVATOR + EWT
Chemical Family: Not determined

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary Vaccine
Restrictions on Use: Not for human use

Details of the Supplier of the Safety Data Sheet

Zoetis Inc.
100 Campus Drive, P.O. Box 651
Florham Park, New Jersey 07932 (USA)
Rocky Mountain Poison Control Center Phone: 1-866-531-8896
Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A.
Mercuriusstraat 20
1930 Zaventem
Belgium

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: VMIPSrecords@zoetis.com

Emergency telephone number:
International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Pink to Pinkish white suspension

Classification of the Substance or Mixture

GHS - Classification Not classified as hazardous

EU Classification:

EU Indication of danger: Not classified

Label Elements

Hazard Statements: Not classified in accordance with international standards for workplace safety.

Other Hazards

Short Term: In the event of accidental injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy instituted.

Australian Hazard Classification (NOHSC):

Non-Hazardous Substance. Non-Dangerous Goods.

Note: This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

SAFETY DATA SHEET

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS
 VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS
 TOXOID
 Revision date: 03-Oct-2013

Page 2 of 11

Version: 3.1

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Thimerosal	54-64-8	200-210-4	T+; R26/27/28 R33 N;R50/53	Acute Tox. 2 (H300) STOT RE 2 (H373) Acute Tox. 2 (H330)	<0.1
Polymyxin B	1404-26-8	215-768-4	Xn;R22 Xn;R42/43	Acute Tox. 4 (H302) Skin Sens. 1 (H317) Resp Sens. 1 (H334)	<0.1
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 2 (H351) Acute Tox. 3 (H331)	<0.1

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
EASTERN EQUINE ENCEPHALOMYELITIS	Not Assigned	Not Listed	Not Listed	Not Listed	*
WESTERN EQUINE ENCEPHALOMYELITIS	Not Assigned	Not Listed	Not Listed	Not Listed	*
West Nile Virus, killed	Not assigned	Not Listed	Not Listed	Not Listed	*
Tetanus toxoid	93384-51-1	297-262-3	Not Listed	Not Listed	*
Neomycin Free Base	1404-04-2	215-766-3	Not Listed	Not Listed	*
Saline suspension	MIXTURE	Not Listed	Not Listed	Not Listed	*
Squalene	111-02-4	203-826-1	Not Listed	Not Listed	*

Additional Information:

* Proprietary
 Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact:

Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.

SAFETY DATA SHEET

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS
VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS
TOXOID
Revision date: 03-Oct-2013

Page 3 of 11

Version: 3.1

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of Exposure: For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.

Medical Conditions Aggravated by Exposure: None known

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Products: Formation of toxic gases is possible during heating or fire.

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill area thoroughly.

Additional Consideration for Large Spills: Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Minimize generating airborne mists and vapors. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

SAFETY DATA SHEET

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS
VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS
TOXOID

Revision date: 03-Oct-2013

Page 4 of 11

Version: 3.1

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store as directed by product packaging.

Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Formaldehyde

ACGIH Ceiling Threshold Limit:	0.3 ppm
ACGIH - Sensitizer Designation	Sensitizer
Australia STEL	2 ppm 2.5 mg/m ³
Australia TWA	1 ppm 1.2 mg/m ³
Austria OEL - MAKs	0.5 ppm 0.6 mg/m ³
Bulgaria OEL - TWA	1.0 mg/m ³
Czech Republic OEL - TWA	0.5 mg/m ³
Estonia OEL - TWA	0.5 ppm 0.6 mg/m ³
Finland OEL - TWA	0.3 ppm 0.37 mg/m ³
France OEL - TWA	0.5 ppm
Germany (DFG) - MAK	0.3 ppm 0.37 mg/m ³ no irritation should occur during mixed exposure
Greece OEL - TWA	2 ppm 2.5 mg/m ³
Hungary OEL - TWA	0.6 mg/m ³
Ireland OEL - TWAs	2 ppm 2.5 mg/m ³
Japan - OELs - Ceilings	0.2 ppm 0.24 mg/m ³
Latvia OEL - TWA	0.5 mg/m ³
Lithuania OEL - TWA	0.5 ppm 0.6 mg/m ³
Netherlands OEL - TWA	0.15 mg/m ³
Vietnam OEL - TWAs	0.5 mg/m ³
OSHA - Final PELs - TWAs:	0.75 ppm
OSHA - Specifically Regulated Chemicals	2 ppm 0.5 ppm 0.75 ppm
Poland OEL - TWA	0.5 mg/m ³
Romania OEL - TWA	1 ppm 1.20 mg/m ³
Slovakia OEL - TWA	0.3 ppm 0.37 mg/m ³
Slovenia OEL - TWA	0.5 ppm 0.62 mg/m ³

SAFETY DATA SHEET

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS
VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS
TOXOID
Revision date: 03-Oct-2013

Page 5 of 11

Version: 3.1

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Sweden OEL - TWAs	0.3 ppm 0.37 mg/m ³
Switzerland OEL -TWAs	0.3 ppm 0.37 mg/m ³

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

Polymyxin B

Zoetis OEB

OEB 2 - Sensitizer (control exposure to the range of 100ug/m³ to < 1000ug/m³, provide additional precautions to protect from skin contact)

Exposure Controls

Engineering Controls:

Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes. Keep air contamination levels below the exposure limits or within the OEB range listed above in this section.

Personal Protective Equipment:

Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).

Hands:

Impervious gloves are recommended if skin contact with drug product is possible and for bulk processing operations.

Eyes:

Wear safety glasses or goggles if eye contact is possible.

Skin:

Impervious protective clothing is recommended if skin contact with drug product is possible and for bulk processing operations.

Respiratory protection:

Whenever excessive air contamination (dust, mist, vapor) is generated, respiratory protection, with appropriate protection factors, should be used to minimize exposure.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Suspension	Color:	Pink to Pinkish white
Odor:	No data available.	Odor Threshold:	No data available.
Molecular Formula:	Mixture	Molecular Weight:	Mixture
Solvent Solubility:	No data available		
Water Solubility:	No data available		
pH:	No data available.		
Melting/Freezing Point (°C):	No data available		
Boiling Point (°C):	No data available.		
Partition Coefficient: (Method, pH, Endpoint, Value)			
No data available			
Decomposition Temperature (°C):	No data available.		
Evaporation Rate (Gram/s):	No data available		
Vapor Pressure (kPa):	No data available		
Vapor Density (g/ml):	No data available		
Relative Density:	No data available		
Viscosity:	No data available		

Flammability:

SAFETY DATA SHEET

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS
VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS
TOXOID

Page 6 of 11

Revision date: 03-Oct-2013

Version: 3.1

Autoignition Temperature (Solid) (°C):	No data available
Flammability (Solids):	No data available
Flash Point (Liquid) (°C):	Non-flammable
Upper Explosive Limits (Liquid) (% by Vol.):	No data available
Lower Explosive Limits (Liquid) (% by Vol.):	No data available
Polymerization:	Will not occur

10. STABILITY AND REACTIVITY

Reactivity:	No data available
Chemical Stability:	Stable under normal conditions of use.
Possibility of Hazardous Reactions	
Oxidizing Properties:	None
Conditions to Avoid:	Fine particles (such as dust and mists) may fuel fires/explosions.
Incompatible Materials:	This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.
Hazardous Decomposition Products:	No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The information included in this section describes the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Formaldehyde

Rat Oral LD50 800 mg/kg

Thimerosal

Rat Oral LD50 75 mg/kg

Mouse Oral LD50 91 mg/kg

Rat Subcutaneous LD50 98mg/kg

Polymyxin B

Mouse Oral LD50 790 mg/kg

Mouse Para-periosteal LD50 3980ug/kg

Rat Subcutaneous LD50 50mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Formaldehyde

Eye Irritation Rabbit Severe

Skin Irritation Rabbit Moderate Severe

Thimerosal

Eye Irritation Rabbit Mild

Skin Irritation / Sensitization

This product contains formaldehyde and merthiolate which are considered to be skin sensitizers.

SAFETY DATA SHEET

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS
VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS
TOXOID

Revision date: 03-Oct-2013

Page 7 of 11

Version: 3.1

11. TOXICOLOGICAL INFORMATION

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

90 Day(s) Dog Inhalation Not Specified Lungs
90 Day(s) Rat Inhalation Not Specified Lungs
90 Day(s) Monkey Inhalation Not Specified Lungs
9 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity
Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive
In Vitro Chromosome Aberration Rodent Positive
In Vitro Sister Chromatid Exchange Rodent Positive
In Vivo Chromosome Aberration Not specified Positive

Polymyxin B

In Vitro Negative
In Vivo Negative

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors
2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status:

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen.

Formaldehyde

IARC: Group 1 (Carcinogenic to Humans)
NTP: Known Human Carcinogen
OSHA: Listed

SAFETY DATA SHEET

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS
VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS
TOXOID

Revision date: 03-Oct-2013

Page 8 of 11

Version: 3.1

12. ECOLOGICAL INFORMATION

Environmental Overview:	The environmental characteristics of this material have not been fully evaluated. Releases to the environment should be avoided.
Toxicity:	No data available
Persistence and Degradability:	No data available
Bio-accumulative Potential:	No data available
Mobility in Soil:	No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods:	Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. This product contains trace quantities of mercury and may qualify as a RCRA Hazardous Waste. Status should be confirmed using the EPA Toxicity Characteristic Leaching Procedure (TCLP).
---------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Formaldehyde	
RCRA - U Series Wastes	Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

SAFETY DATA SHEET

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS
VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS
TOXOID

Page 9 of 11

Revision date: 03-Oct-2013

Version: 3.1

15. REGULATORY INFORMATION

WHMIS hazard class:

Non-controlled

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

EASTERN EQUINE ENCEPHALOMYELITIS

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

WESTERN EQUINE ENCEPHALOMYELITIS

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

West Nile Virus, killed

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Tetanus toxoid

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 4
EU EINECS/ELINCS List	297-262-3

Thimerosal

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
EU EINECS/ELINCS List	200-210-4

Polymyxin B

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	215-768-4

Neomycin Free Base

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 4

SAFETY DATA SHEET

Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS
 VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS
 TOXOID
 Revision date: 03-Oct-2013

Page 10 of 11

Version: 3.1

15. REGULATORY INFORMATION

EU EINECS/ELINCS List	215-766-3
Saline suspension	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed
Squalene	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	203-826-1
Formaldehyde	
CERCLA/SARA 313 Emission reporting	0.1 %
CERCLA/SARA Hazardous Substances and their Reportable Quantities:	100 lb
	45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous TPQs	500 lb
CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	100 lb
California Proposition 65	carcinogen initial date 1/1/88 gas
OSHA - Specifically Regulated Chemicals	2 ppm
	0.5 ppm
	0.75 ppm
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 2
	Schedule 6
EU EINECS/ELINCS List	200-001-8

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.2; H300 - Fatal if swallowed
 Acute toxicity, oral-Cat.3; H301 - Toxic if swallowed
 Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed
 Skin corrosion/irritation-Cat.1B; H314 - Causes severe skin burns and eye damage
 Sensitization, skin-Cat.1; H317 - May cause an allergic skin reaction
 Sensitization, respiratory-Cat.1; H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
 Carcinogenicity-Cat.2; H351 - Suspected of causing cancer
 Specific target organ toxicity, repeated exposure-Cat.2; H373 - May cause damage to organs through prolonged or repeated exposure
 Acute toxicity, inhalation-Cat.2; H330 - Fatal if inhaled
 Acute toxicity, inhalation-Cat.3; H331 - Toxic if inhaled

SAFETY DATA SHEET

**Material Name: ENCEPHALOMYEUTIS - WEST NILE VIRUS
VACCINE, EASTERN & EASTERN, KILLED VIRUS, TETANUS
TOXOID**

Page 11 of 11

Revision date: 03-Oct-2013

Version: 3.1

C - Corrosive
Carcinogenic: Category 3
N - Dangerous for the environment
T+ - Very toxic
T - Toxic
Xn - Harmful
Xi - Irritant

R22 - Harmful if swallowed.
R33 - Danger of cumulative effects.
R34 - Causes burns.
R40 - Limited evidence of a carcinogenic effect
R43 - May cause sensitization by skin contact.
R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed.
R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.
R42/43 - May cause sensitization by inhalation and skin contact.
R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.
Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients.

Prepared by: Toxicology and Hazard Communication
Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet