

Revision date: 17-Jan-2014 Version: 2.0 Page 1 of 8

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Spectramast DC

Trade Name: SPECTRAMAST

Synonyms: Ceftiofur Hydrochloride DC Intramammary Suspension

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary product used as antibiotic agent

Details of the Supplier of the Safety Data Sheet

Zoetis Inc. 100 Campus Drive, P.O. Box 651

Florham Park, New Jersey 07932 (USA)

Rocky Mountain Poison Control Center Phone: 1-866-531-8896

Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A. Mercuriusstraat 20 1930 Zaventem

Belgium

Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300

Contact E-Mail: VMIPSrecords@zoetis.com

Emergency telephone number:

International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Opaque buff to yellow suspension

Classification of the Substance or Mixture

GHS - Classification

Respiratory Sensitization: Category 1 Skin Sensitization: Category 1

EU Classification:

EU Indication of danger: Harmful

Irritant

EU Symbol:

Xn

EU Risk Phrases:

R42/43 - May cause sensitization by inhalation and skin contact.

Label Elements

Signal Word: Danger

Hazard Statements: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317 - May cause an allergic skin reaction

Material Name: Spectramast DC Page 2 of 8
Revision date: 17-Jan-2014 Version: 2.0

Precautionary Statements: P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P284 - Wear respiratory protection

P272 - Contaminated work clothing should not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTRE or

doctor/physician

P302+ P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse

P501 - Dispose of contents/container in accordance with all local and national regulations



Other Hazards

Short Term: May cause minimal eye irritation (based on animal data). May cause mild skin irritation (based

on animal data). Not acutely toxic (based on animal data). Ingestion may result in mild gastrointestinal irritation with nausea, vomiting, or diarrhea. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy

instituted.

Known Clinical Effects: Individuals who are sensitive to beta lactam antibiotics, both penicillins and cephalosporins,

may experience contact or systemic hypersensitivity and anaphylaxis upon exposure to this

drug. Effects on blood and blood-forming organs have also occurred.

Australian Hazard Classification

(NOHSC):

Hazardous Substance. Non-Dangerous Goods.

Note: This document has been prepared in accordance with standards for workplace safety, which

requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Ceftiofur Hydrochloride	103980-44-5	Not Listed	Xn; R42/43	Resp. Sens. 1 (H334) Skin Sens. 1 (H317)	5.3

Ingredient	CAS Number	EU EINECS/ELINCS	EU Classification	GHS Classification	%
		List			
Glycerides, vegetable-oil, mono- and di-	97488-91-0	307-030-6	Not Listed	Not Listed	*
Cottonseed Oil	8001-29-4	232-280-7	Not Listed	Not Listed	*

D7000F7

Material Name: Spectramast DC Page 3 of 8
Revision date: 17-Jan-2014 Version: 2.0

Microcrystalline wax	63231-60-7	264-038-1	Not Listed	Not Listed	*
Microcrystainie wax	03231-00-7	204-036-1	NOT LISTED	INOL LISIEU	
		420 2E0 C			
		429-330-6			

Additional Information: * Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention. This material may not be completely removed by conventional laundering.

Consult professional laundry service. Do not home launder.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of No data available

Exposure:

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Emits toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides and other

Products: sulfur-containing compounds.

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

Wear approved positive pressure, self-contained breathing apparatus and full protective turn out gear. Dike and collect water

used to fight fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Material Name: Spectramast DC Page 4 of 8 Revision date: 17-Jan-2014 Version: 2.0

Measures for Cleaning /

Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill area thoroughly.

Collecting:

Additional Consideration for

Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Use appropriate ventilation. Avoid contact with eyes, skin and clothing. Avoid breathing dust, vapor or mist. Keep away from heat, sparks, and flame. When handling, use proper personal protective equipment as specified in Section 8.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store in a cool, dry, well-ventilated area. Protect from light.

Storage Temperature: Store as directed by product packaging.

Incompatible Materials: Incompatible with bases. As a precautionary measure, keep away from strong oxidizers Heavy

metals

No data available Specific end use(s):

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Ceftiofur Hydrochloride

200µg/m³, Sensitizer **Zoetis OEL TWA 8-hr**

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes.

Personal Protective Refer to applicable national standards and regulations in the selection and use of personal

Equipment: protective equipment (PPE).

Wear two layers of disposable gloves. Hands:

Safety glasses or goggles Eyes:

Skin: Protective coveralls should be worn. The sleeves should either be taped or have gloves worn

over them to prevent material from contacting the skin.

If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate Respiratory protection:

respirator with a protection factor sufficient to control exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Suspension Color: Buff to yellow opaque No data available. Odor: No data available. **Odor Threshold:**

Molecular Formula: Mixture **Molecular Weight:** Mixture

Solvent Solubility: No data available Water Solubility: No data available :Ha No data available. **Melting/Freezing Point (°C):** No data available **Boiling Point (°C):** No data available. Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

Decomposition Temperature (°C): No data available. **Evaporation Rate (Gram/s):** No data available

PZ00057

Material Name: Spectramast DC Page 5 of 8
Revision date: 17-Jan-2014 Version: 2.0

Vapor Pressure (kPa):No data availableVapor Density (g/ml):No data availableRelative Density:0.930 - 0.950Viscosity:No data available

Flammablity:

Autoignition Temperature (Solid) (°C):

Flammability (Solids):

Flash Point (Liquid) (°C):

Upper Explosive Limits (Liquid) (% by Vol.):

Lower Explosive Limits (Liquid) (% by Vol.):

Polymerization:

No data available
No data available
Will not occur

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable at normal conditions

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Decomposes on exposure to light

Incompatible Materials: Incompatible with bases. As a precautionary measure, keep away from strong oxidizers Heavy

metals

Hazardous Decomposition

Products:

No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: Toxicological properties of the formulation have not been investigated. The information

included in this section describes the potential hazards of the active ingredient.

Acute Toxicity: (Species, Route, End Point, Dose)

Ceftiofur Hydrochloride

Rat Oral LD 50 >7760 mg/kg

Rat Sub-tenon injection (eye) LD 50 927mg/kg

Rat Inhalation LC 50 >8.3mg/L

Cottonseed Oil

Rat Oral LD50 > 90 ml/kg

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable

at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Ceftiofur Hydrochloride

Eye Irritation Rabbit Minimal Skin Irritation Rabbit Minimal

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Ceftiofur Hydrochloride

90 Day(s) Dog Oral 30 mg/kg/day NOEL Blood forming organs

PZ00057

Material Name: Spectramast DC Page 6 of 8
Revision date: 17-Jan-2014 Version: 2.0

11. TOXICOLOGICAL INFORMATION

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Ceftiofur Hydrochloride

2 Generation Reproductive Toxicity Rat Oral 1000 mg/kg/day NOEL Fetotoxicity Embryo / Fetal Development Rat Oral 3200 mg/kg/day NOAEL Not Teratogenic

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Ceftiofur Hydrochloride

Bacterial Mutagenicity (Ames) Salmonella, E. coli Negative

Unscheduled DNA Synthesis Rat Negative

Mammalian Cell Mutagenicity Chinese Hamster Ovary (CHO) cells Negative

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. Releases to

the environment should be avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

Material Name: Spectramast DC Page 7 of 8
Revision date: 17-Jan-2014 Version: 2.0

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

Class D, Division 2, Subdivision A Class D, Division 2, Subdivision B

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.



Ceftiofur Hydrochloride

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

Glycerides, vegetable-oil, mono- and di-

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed
307-030-6

Cottonseed Oil

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Present

232-280-7

Microcrystalline wax

CERCLA/SARA 313 Emission reporting

California Proposition 65
Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

264-038-1
429-350-6

REACH Authorizations: 2.0

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Sensitization, skin-Cat.1; H317 - May cause an allergic skin reaction

Sensitization, respiratory-Cat.1; H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Material Name: Spectramast DC Page 8 of 8
Revision date: 17-Jan-2014 Version: 2.0

Xn - Harmful

R42 - May cause sensitization by inhalation. R43 - May cause sensitization by skin contact.

Data Sources: The data contained in this MSDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.

Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 5 - Fire Fighting Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 11 -

Toxicology Information. Updated Section 15 - Regulatory Information.

Prepared by: Toxicology and Hazard Communication

Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet