

SAFETY DATA SHEET



Revision date: 11-Mar-2014

Version: 4.0

Page 1 of 11

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Clostridium perfringens type C- Escherichia coli bacterin toxoid

Trade Name: LitterGuard® LT-C
Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary Vaccine

Details of the Supplier of the Safety Data Sheet

Zoetis Inc.
100 Campus Drive, P.O. Box 651
Florham Park, New Jersey 07932 (USA)
Rocky Mountain Poison Control Center Phone: 1-866-531-8896
Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A.
Mercuriusstraat 20
1930 Zaventem
Belgium

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: VMIPSrecords@zoetis.com

Emergency telephone number:
International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Appearance: Liquid solution

Classification of the Substance or Mixture

GHS - Classification

Respiratory Sensitization: Category 1
Skin Sensitization: Category 1
Carcinogenicity: Category 1A

EU Classification:

EU Indication of danger: Harmful
Carcinogenic: Category 3

EU Symbol: Xn
EU Risk Phrases:

R43 - May cause sensitization by skin contact.
R40 - Limited evidence of a carcinogenic effect

Label Elements

Signal Word: Danger
Hazard Statements: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H317 - May cause an allergic skin reaction
H350 - May cause cancer

SAFETY DATA SHEET

Material Name: Clostridium perfringens type C- Escherichia coli bacterin toxoid
Revision date: 11-Mar-2014

Page 2 of 11

Version: 4.0

Precautionary Statements:

- P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
- P284 - Wear respiratory protection
- P272 - Contaminated work clothing should not be allowed out of the workplace
- P280 - Wear protective gloves/protective clothing/eye protection/face protection
- P201 - Obtain special instructions before use
- P202 - Do not handle until all safety precautions have been read and understood
- P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTRE or doctor/physician
- P302+ P352 - IF ON SKIN: Wash with plenty of soap and water
- P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
- P362 - Take off contaminated clothing and wash before reuse
- P308 + P313 - IF exposed or concerned: Get medical attention/advice
- P405 - Store locked up
- P501 - Dispose of contents/container in accordance with all local and national regulations



Other Hazards
Short Term:

May cause eye irritation May cause skin irritation. (based on components) In the event of accidental injection, an allergic reaction may occur. If an allergic reaction occurs, the worker should be removed to the nearest emergency room and the appropriate therapy instituted. Hazardous Substance. Non-Dangerous Goods.

Australian Hazard Classification (NOHSC):

Note: This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Formaldehyde	50-00-0	200-001-8	T; R23/24/25 C; R34 Carc.Cat.3; R40 R43	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Carc. 1A (H350) Acute Tox. 3 (H331)	< 0.5

SAFETY DATA SHEET

Material Name: Clostridium perfringens type C- Escherichia coli bacterin toxoid
 Revision date: 11-Mar-2014

Page 3 of 11

Version: 4.0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Merthiolate (as mercury)	54-64-8	200-210-4	T+; R26/27/28 R33 N; R50/53	Acute Tox. 2 (H330) Acute Tox. 2 (H310) Acute Tox. 1 (H300) STOT RE 2 (H373) Aq. Acute 1 (H400) Aq. Chronic 1 (H410)	##
--------------------------	---------	-----------	-----------------------------------	---	----

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Escherichia coli	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Clostridium perfringens type C	NOT ASSIGNED	Not Listed	Not Listed	Not Listed	*
Aluminum hydroxide gel	21645-51-2	244-492-7	Not Listed	Not Listed	*

Additional Information: * Proprietary
 ## Trace
 Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Immediately flush eyes with water for at least 15 minutes. If irritation occurs or persists, get medical attention.

Skin Contact: Wash skin with soap and water. If irritation occurs or persists, get medical attention.

Ingestion: Get medical attention. Do not induce vomiting unless directed by medical personnel. Never give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. Get medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of Exposure: For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.

Medical Conditions Aggravated by Exposure: None known

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

SAFETY DATA SHEET

Material Name: Clostridium perfringens type C- Escherichia coli bacterin toxoid
Revision date: 11-Mar-2014

Page 4 of 11

Version: 4.0

Hazardous Combustion Products: Formation of toxic gases is possible during heating or fire.

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

Wear approved positive pressure, self-contained breathing apparatus and full protective turn out gear. Dike and collect water used to fight fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill area thoroughly.

Additional Consideration for Large Spills: Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Use with adequate ventilation. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Prevent environmental releases. Use appropriate personal protective equipment. Avoid accidental injection.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store under refrigeration in closed container.

Storage Temperature: 2-7°C

Incompatible Materials: This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Formaldehyde

ACGIH Ceiling Threshold Limit:	0.3 ppm
ACGIH - Sensitizer Designation	Sensitizer
Australia STEL	2 ppm
	2.5 mg/m ³
Australia TWA	1 ppm
	1.2 mg/m ³
Austria OEL - MAKs	0.5 ppm
	0.6 mg/m ³
Bulgaria OEL - TWA	1.0 mg/m ³
Czech Republic OEL - TWA	0.5 mg/m ³

SAFETY DATA SHEET

Material Name: Clostridium perfringens type C- Escherichia coli bacterin toxoid
 Revision date: 11-Mar-2014

Page 5 of 11

Version: 4.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Estonia OEL - TWA	0.5 ppm 0.6 mg/m ³
Finland OEL - TWA	0.3 ppm 0.37 mg/m ³
France OEL - TWA	0.5 ppm
Germany (DFG) - MAK	0.3 ppm 0.37 mg/m ³ no irritation should occur during mixed exposure
Greece OEL - TWA	2 ppm 2.5 mg/m ³
Hungary OEL - TWA	0.6 mg/m ³
Ireland OEL - TWAs	2 ppm 2.5 mg/m ³
Japan - OELs - Ceilings	0.2 ppm 0.24 mg/m ³
Latvia OEL - TWA	0.5 mg/m ³
Lithuania OEL - TWA	0.5 ppm 0.6 mg/m ³
Netherlands OEL - TWA	0.15 mg/m ³
Vietnam OEL - TWAs	0.5 mg/m ³
OSHA - Final PELs - TWAs:	0.75 ppm
OSHA - Specifically Regulated Chemicals	2 ppm 0.5 ppm 0.75 ppm
Poland OEL - TWA	0.5 mg/m ³
Romania OEL - TWA	1 ppm 1.20 mg/m ³
Slovakia OEL - TWA	0.3 ppm 0.37 mg/m ³
Slovenia OEL - TWA	0.5 ppm 0.62 mg/m ³
Sweden OEL - TWAs	0.3 ppm 0.37 mg/m ³
Switzerland OEL -TWAs	0.3 ppm 0.37 mg/m ³
Aluminum hydroxide gel	
ACGIH Threshold Limit Value (TWA)	1 mg/m ³
Austria OEL - MAKs	5 mg/m ³
Germany (DFG) - MAK	4 mg/m ³ 1.5 mg/m ³
Latvia OEL - TWA	6 mg/m ³
Lithuania OEL - TWA	6 mg/m ³
Poland OEL - TWA	2.5 mg/m ³ 1.2 mg/m ³
Slovakia OEL - TWA	1.5 mg/m ³
Switzerland OEL -TWAs	3 mg/m ³

Exposure Controls

Engineering Controls:

Engineering controls should be used as the primary means to control exposures. Keep airborne contamination levels below the exposure limits listed above in this section. General room ventilation is adequate unless the process generates dust, mist or fumes.

Personal Protective Equipment:

Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).

SAFETY DATA SHEET

Material Name: Clostridium perfringens type C- Escherichia coli bacterin toxoid
Revision date: 11-Mar-2014

Page 6 of 11

Version: 4.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Hands: Wear impervious gloves if skin contact is possible.
Eyes: Safety glasses or goggles
Skin: Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and laboratory areas.
Respiratory protection: If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid solution in multiple-dose vials	Color:	Cloudy white
Odor:	No data available.	Odor Threshold:	No data available.
Molecular Formula:	Mixture	Molecular Weight:	Mixture
Solvent Solubility:	No data available		
Water Solubility:	No data available		
Solubility:	Water (based on components)		
pH:	7.0 +/- 1.5		
Melting/Freezing Point (°C):	No data available		
Boiling Point (°C):	>100		
Partition Coefficient: (Method, pH, Endpoint, Value)			
No data available			
Decomposition Temperature (°C):	No data available.		
Evaporation Rate (Gram/s):	No data available		
Vapor Pressure (kPa):	Expected to be negligible		
Vapor Density (g/ml):	No data available		
Relative Density:	No data available		
Specific Gravity:	1.0 +/- 0.2		
Viscosity:	No data available		
Flammability:			
Autoignition Temperature (Solid) (°C):		No data available	
Flammability (Solids):		No data available	
Flash Point (Liquid) (°C):		Non-flammable	
Upper Explosive Limits (Liquid) (% by Vol.):		No data available	
Lower Explosive Limits (Liquid) (% by Vol.):		No data available	
Polymerization:		Will not occur	

10. STABILITY AND REACTIVITY

Reactivity:	No data available
Chemical Stability:	Stable under normal conditions of use.
Possibility of Hazardous Reactions	
Oxidizing Properties:	No data available
Conditions to Avoid:	Store at 2-7°C. Prolonged exposure to higher temperatures may adversely affect potency. Do not freeze.
Incompatible Materials:	This material can be denatured or inactivated by a variety of organic solvents, salts or heavy metals.
Hazardous Decomposition Products:	None expected under normal conditions.

SAFETY DATA SHEET

Material Name: Clostridium perfringens type C- Escherichia coli bacterin toxoid
Revision date: 11-Mar-2014

Page 7 of 11

Version: 4.0

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information:

Toxicological properties of the formulation have not been fully investigated. The antigens included in this product are non-infectious. All have been prepared from killed or inactivated preparations of microorganisms. The information included in this section describes the potential hazards of the individual ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Merthiolate (as mercury)

Rat Oral LD50 75 mg/kg
Rat Subcutaneous LD50 98mg/kg

Aluminum hydroxide gel

Rat Para-periosteal LD50 150 mg/kg

Formaldehyde

Rat Oral LD50 800 mg/kg

Irritation / Sensitization: (Study Type, Species, Severity)

Merthiolate (as mercury)

Eye Irritation Rabbit Mild

Formaldehyde

Eye Irritation Rabbit Severe
Skin Irritation Rabbit Moderate Severe
Skin Sensitization Positive

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Formaldehyde

90 Day(s) Dog Inhalation Not Specified Lungs
90 Day(s) Rat Inhalation Not Specified Lungs
90 Day(s) Monkey Inhalation Not Specified Lungs
90 Day(s) Rat Inhalation 15 ppm LOAEL Respiratory system

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

Embryo / Fetal Development Mouse Oral 185 mg/kg/day Not teratogenic, Maternal toxicity
Embryo / Fetal Development Rat Inhalation 40 ppm Not Teratogenic, Maternal Toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Formaldehyde

In Vitro Bacterial Mutagenicity (Ames) Bacteria Positive

SAFETY DATA SHEET

Material Name: Clostridium perfringens type C- Escherichia coli bacterin toxoid
Revision date: 11-Mar-2014

Page 8 of 11

Version: 4.0

11. TOXICOLOGICAL INFORMATION

In Vitro Chromosome Aberration Rodent Positive
In Vitro Sister Chromatid Exchange Rodent Positive
In Vivo Chromosome Aberration Not specified Positive

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Formaldehyde

2 Year(s) Rat Inhalation 6 ppm LOAEL Tumors
2 Year(s) Mouse Inhalation 15 ppm LOAEL Tumors

Carcinogen Status: See below

Formaldehyde

IARC: Group 1 (Carcinogenic to Humans)
NTP: Known Human Carcinogen
OSHA: Listed

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. Releases to the environment should be avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

Formaldehyde

RCRA - U Series Wastes

Listed

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

SAFETY DATA SHEET

Material Name: Clostridium perfringens type C- Escherichia coli bacterin toxoid
Revision date: 11-Mar-2014

Page 9 of 11

Version: 4.0

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

Class D, Division 2, Subdivision A

Class D, Division 2, Subdivision B



Formaldehyde

CERCLA/SARA 313 Emission reporting	0.1 %
CERCLA/SARA Hazardous Substances and their Reportable Quantities:	100 lb
CERCLA/SARA - Section 302 Extremely Hazardous TPQs	45.4 kg
CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	500 lb
California Proposition 65	100 lb
OSHA - Specifically Regulated Chemicals	carcinogen initial date 1/1/88 gas
	2 ppm
	0.5 ppm
	0.75 ppm
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 2
EU EINECS/ELINCS List	Schedule 6
	200-001-8

Escherichia coli

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Clostridium perfringens type C

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
EU EINECS/ELINCS List	Not Listed

Aluminum hydroxide gel

SAFETY DATA SHEET

Material Name: Clostridium perfringens type C- Escherichia coli bacterin toxoid
Revision date: 11-Mar-2014

Page 10 of 11

Version: 4.0

15. REGULATORY INFORMATION

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	244-492-7

Merthiolate (as mercury)

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	200-210-4

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

H300 - Fatal if swallowed
H301 - Toxic if swallowed
H310 - Fatal in contact with skin
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H330 - Fatal if inhaled
H331 - Toxic if inhaled
H350 - May cause cancer
H373 - May cause damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Carcinogenic: Category 3

T+ - Very toxic

T - Toxic

C - Corrosive

N - Dangerous for the environment

R33 - Danger of cumulative effects.

R34 - Causes burns.

R40 - Limited evidence of a carcinogenic effect

R43 - May cause sensitization by skin contact.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Data Sources:

The data contained in this MSDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

SAFETY DATA SHEET

Material Name: Clostridium perfringens type C- Escherichia coli bacterin toxoid
Revision date: 11-Mar-2014

Page 11 of 11

Version: 4.0

Reasons for Revision:

Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 4 - First Aid Measures. Updated Section 5 - Fire Fighting Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 10 - Stability and Reactivity. Updated Section 11 - Toxicology Information. Updated Section 13 - Disposal Considerations. Updated Section 15 - Regulatory Information.

Prepared by:

Toxicology and Hazard Communication
Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet