

Revision date: 29-Jun-2015 Version: 1.0 Page 1 of 9

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE **COMPANY/UNDERTAKING**

Product Identifier

Material Name: PropoFlo

PropoFlo **Trade Name:**

PropoFlo Single Dose Vial; Propofol ES; Propofol Injectable Emulsion 10 mg/mL Synonyms:

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary anesthetic agent

Restrictions on Use: Not for human use

Details of the Supplier of the Safety Data Sheet

Zoetis Belgium S.A. Zoetis Inc. 100 Campus Drive, P.O. Box 651 Mercuriusstraat 20 Florham Park, New Jersey 07932 (USA) 1930 Zaventem Rocky Mountain Poison and Drug Center Phone: 1-866-531-8896 **Belgium**

Product Support/Technical Services Phone: 1-800-366-5288

Emergency telephone number: Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300 International CHEMTREC (24 hours): +1-703-527-3887

VMIPSrecords@zoetis.com **Contact E-Mail:**

2. HAZARDS IDENTIFICATION

Appearance: White to off-white aqueous emulsion

Classification of the Substance or Mixture

GHS - Classification Not classified as hazardous

EU Classification:

EU Indication of danger: Not classified

Label Elements

Signal Word: Not Classified

Hazard Statements: Non-hazardous in accordance with international standards for workplace safety.

Other Hazards

Material Name: PropoFlo Page 2 of 9
Revision date: 29-Jun-2015 Version: 1.0

Short Term: Expected to have a low hazard potential based on available information. Rare cases of self-

injection have been reported to cause death. May cause eye, skin and respiratory tract irritation . Individuals sensitive to this chemical or other materials in its chemical class may develop allergic reactions. Signs and symptoms might include skin rash, itching, redness or swelling. Respiratory reactions may be characterized by rhinitis, sneezing, scratchy throat, oral mucosal edema, laryngeal mucosal edema, coughing, shortness of breath, wheezing, and chest pain. Asthma like reactions occur with acute exposures in sensitized patients. May be absorbed through mucous membranes and cause systemic effects. Vapors may cause drowsiness and dizziness. Breathing high vapor concentrations may cause central nervous system (CNS)

depression resulting in dizziness, light-headedness, headache, nausea, and loss of coordination. Continued inhalation may result in unconsciousness and death.

Known Clinical Effects: Known Clinical Effects: decreased heart rate (bradycardia), decrease in blood pressure

(hypotension) , nausea , vomiting , sedation , sleepiness (somnolence) , anaphylactic reactions

, respiratory depression , CNS depression , unconsciousness , drowsiness, dizziness,

abnormal thinking, euphoria, headache, and incoordination.

Australian Hazard Classification (NOHSC):

Non-Hazardous Substance. Non-Dangerous Goods.

Note: This document has been prepared in accordance with standards for workplace safety, which

requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Glycerol	56-81-5	200-289-5	Not Listed	Not Listed	2 - 3
Propofol	2078-54-8	Not Listed	Not Listed	Eye Irrit. 2A (H319) Skin Irrit. 2 (H315) STOT SE 3 (H335) STOT SE 3 (H336) Acute Tox. 4 (H302)	

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Egg Phosphatide	Not assigned	Not Listed	Not Listed	Not Listed	1 - 2
Soybean oil	8001-22-7	232-274-4	Not Listed	Not Listed	10
Water	7732-18-5	231-791-2	Not Listed	Not Listed	85 - 86

Additional Information: Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Material Name: PropoFlo Page 3 of 9
Revision date: 29-Jun-2015 Version: 1.0

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Exposure: Identification and/or Section 11 - Toxicological Information.

Medical ConditionsSeizure disorders. Hypovolemia. Lipid metabolism disorders. Individuals who have shown hypersensitivity to the drug and individuals with cardiac conditions, and liver and kidney

impairment may be susceptible to the toxicity of overexposure.

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion For

Products:

Formation of toxic gases is possible during heating or fire.

Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning /

area thoroughly. Prevent discharge to drains.

Collecting:

Additional Consideration for

Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel. Contain the source of the spill or leak and shut off all electrical equipment if it is safe to do so. Collect spill with a non-combustible absorbent material and transfer to labeled container for disposal. Clean spill area thoroughly. Prevent discharge to drains. Prevent runoff from entering waterways or sewers.

Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill

7. HANDLING AND STORAGE

Precautions for Safe Handling

Material Name: PropoFlo
Revision date: 29-Jun-2015
Page 4 of 9
Version: 1.0

7. HANDLING AND STORAGE

When handling, use appropriate personal protective equipment (see Section 8). Use with adequate ventilation. Restrict access to work area. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid accidental injection. Wash thoroughly after handling. Releases to the environment should be avoided.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Keep containers tightly closed in a cool, well-ventilated place . Protect from direct heat and

sunlight. Keep out of reach of children. Store as directed by product packaging.

Incompatible Materials: Strong oxidizing agents, strong bases , Acid chlorides , Acid anhydrides

Specific end use(s): Veterinary anesthetic agent

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

Glycerol

10 mg/m³ **Australia TWA** 10 mg/m³ **Belgium OEL - TWA** 10 mg/m³ Czech Republic OEL - TWA **Estonia OEL - TWA** 10 mg/m³ 20 mg/m³ **Finland OEL - TWA** 10 mg/m³ France OEL - TWA 50 mg/m³ Germany (DFG) - MAK 10 mg/m³ **Greece OEL - TWA** 10 mg/m³ Ireland OEL - TWAs 15 mg/m³ **OSHA - Final PELS - TWAs:** 10 mg/m³ **Poland OEL - TWA** Portugal OEL - TWA 10 mg/m³ Spain OEL - TWA 10 mg/m³ **Switzerland OEL -TWAs** 50 mg/m³

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. Keep

airborne contamination levels below the exposure limits listed above in this section.

Personal Protective Refer to applicable national standards and regulations in the selection and use of personal

Equipment: protective equipment (PPE).

Hands: Wear impervious gloves if skin contact is possible.

Eves: Safety glasses or goggles

Skin: Use protective clothing (uniforms, lab coats, disposable coveralls, etc.) in both production and

laboratory areas.

Respiratory protection: Whenever air contamination (mist, vapor or odor) is generated, respiratory protection is

recommended as a precaution to minimize exposure. If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to

control exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:AqueousEmulsionColor:White to off-whiteOdor:OdorlessOdor Threshold:No data available.

Molecular Formula: Mixture Molecular Weight: Mixture

Solvent Solubility: No data available

ZT00808

Material Name: PropoFlo Page 5 of 9 Revision date: 29-Jun-2015 Version: 1.0

9. PHYSICAL AND CHEMICAL PROPERTIES

Water Solubility: Slightly Soluble: Water

pH: 6 - 8.5

Melting/Freezing Point (°C): No data available **Boiling Point (°C):** No data available. Partition Coefficient: (Method, pH, Endpoint, Value)

Propofol Log P 3.8

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s): No data available Vapor Pressure (kPa): No data available Vapor Density (g/ml): No data available **Relative Density:** 0.996 a/ml

Viscosity: 1.54 cPs @ 25C/77F

Flammablity:

Autoignition Temperature (Solid) (°C): No data available Flammability (Solids): No data available Flash Point (Liquid) (°C): No data available **Upper Explosive Limits (Liquid) (% by Vol.):** No data available Lower Explosive Limits (Liquid) (% by Vol.): No data available

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions. **Incompatible Materials:** Strong oxidizing agents, strong bases , Acid chlorides , Acid anhydrides

Hazardous Decomposition Thermal decomposition products may include carbon monoxide, carbon dioxide and other toxic Products:

vapors.

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: Toxicological properties of the formulation have not been investigated. The information in this

section describes the potential hazards of the individual ingredients and the formulation.

Routes of exposure: eye contact, skin contact

Acute Toxicity: (Species, Route, End Point, Dose)

Propofol

Rat Oral LD 50 500 mg/kg Oral LD 50 1100 mg/kg Mouse > 2000 mg/kg Rabbit Dermal LD 50

Inhalation Acute Toxicity May cause respiratory tract irritation . Breathing high vapor concentrations may cause central

nervous system (CNS) depression resulting in dizziness, light-headedness, headache, nausea,

and loss of coordination. Continued inhalation may result in unconsciousness and death.

Irritation / Sensitization: (Study Type, Species, Severity)

Material Name: PropoFlo
Revision date: 29-Jun-2015
Page 6 of 9
Version: 1.0

11. TOXICOLOGICAL INFORMATION

Propofol

Eye Irritation Rabbit Irritant
Skin Irritation Rabbit Irritant
Skin Irritation Rat Severe Irritant

Glycerol

Eye Irritation Rabbit Mild Skin Irritation Rabbit Mild

Irritation / Sensitization Comments: May cause eye irritation.

Skin Irritation / Sensitization May cause skin irritation.

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Propofol

Reproductive & Fertility Rabbit Intravenous 15 mg/kg/day No effects at maximum dose Reproductive & Fertility Rat Intravenous 15 mg/kg/day No effects at maximum dose

Reproductive & Development

Toxicity Comments:

Studies have been performed in rats and rabbits at IV doses of 15 mg/kg/day and have revealed no evidence of impaired fertility or harm to the fetus due to propofol. Propofol, however, has been shown to cause maternal deaths in rats and rabbits and decreased pup survival during the lactating period in dams treated with 15 mg/kg/day. The pharmacological activity (anesthesia) of the drug on the mother is believed to be responsible for the adverse effects seen in the offspring.

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Propofol

Bacterial Mutagenicity (Ames) Salmonella Negative
Mitotic Gene Conversion Saccharomyces cerevisiae Negative
In Vitro Cytogenetics Chinese Hamster Ovary (CHO) cells Negative
In Vitro Chromosome Aberration Human Lymphocytes Negative
In Vivo Micronucleus Mouse Negative

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

Product Level Toxicity Data Acute Toxicity Estimate (ATE), oral

>10,000 mg/kg

Material Name: PropoFlo Page 7 of 9
Revision date: 29-Jun-2015 Version: 1.0

12. ECOLOGICAL INFORMATION

Environmental Overview: Environmental properties of the formulation have not been investigated. Releases to the

environment should be avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential:

Propofol Log P 3.8

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental

releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

Non-controlled

This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all of the information required by the CPR.

Glycerol

Material Name: PropoFlo
Revision date: 29-Jun-2015
Page 8 of 9
Version: 1.0

15. REGULATORY INFORMATION

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

REACH - Annex V - Exemptions from the

obligations of Register:

Not Listed Not Listed

Present

Present

Present if not chemically modified, except they meet the criteria for classification as dangerous according to Directive 67/548/EEC, except those only classified as flammable [R10], as a skin irritant [R38] or as an eye irritant [R36], except they are persistent,

bioaccumulative, and toxic or very persistent and very

bioaccumulative in accordance with the criteria set out in Annex XIII, except they were identified in accordance with Article 59[1] at

least two years previously as substances giving rise to an

equivalent level of concern

EU EINECS/ELINCS List 200-289-5

Propofol

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

Egg Phosphatide

CERCLA/SARA 313 Emission reporting

California Proposition 65

EU EINECS/ELINCS List

Not Listed

Not Listed

Soybean oil

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

Present

232-274-4

Water

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

REACH - Annex IV - Exemptions from the

Not Listed

Not Listed

Not Listed

Not Listed

Present

obligations of Register:

EU EINECS/ELINCS List 231-791-2

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed

Serious eye damage/eye irritation-Cat.2A; H319 - Causes serious eye irritation

Skin corrosion/irritation-Cat.2; H315 - Causes skin irritation

Specific target organ toxicity, single exposure; Respiratory tract irritation-Cat.3; H335 - May cause respiratory irritation Specific target organ toxicity, single exposure; Narcotic effects-Cat.3; H336 - May cause drowsiness and dizziness

Material Name: PropoFlo Page 9 of 9 Revision date: 29-Jun-2015 Version: 1.0

Data Sources: The data contained in this SDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: New data sheet.

Toxicology and Hazard Communication Zoetis Global Risk Management Prepared by:

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet